



Notice boards and poster display cases



## VITINCOM® at a glance

Helping you with your choice: use the table below to define and refine your search for the VITINCOM® notice board best suited to your display needs.

			Enviro	nment	Glazing		D	ispl	ay c	ара	city	(nı	ımb	er c	of A	4 sh	ieet	s)			Doors		Config	uration		Pos	sts	
Page	Notice boards	Profile depth (mm)	Outdoor	Indoor	Vandal resistant Plexichoc®	<b>1</b> A4	<b>2</b> A4	<b>4</b> A4	<b>6</b> A4	<b>8</b> A4	<b>9</b> A4	<b>12</b> A4	<b>16</b> A4	<b>18</b> A4	<b>21</b> A4	<b>24</b> A4	<b>27</b> A4	<b>28</b> A4	<b>30</b> A4	Single door (portrait)	Dual-door (landscape)	Raising door	Single sided	Double sided	60 x 40 mm	0 76 mm	Quatro	Internal stand
8	Tradition	30			•		•	•	•		•												•					
10	Classic	58			•				•	•		•		•	•													
12	1000	75								•		•		•	•		•											
14	2000	75									•	•	•	•	•		•	•			1							
24	Decorative themed	30			•		•		•														•					
34	Access	30						•	•												1 1 1 1 1 1 1 1 1 1 1 1							
36	Allure	30					•	•	•	•	•			•														
38	Sliding door	34/60										•									1 1 1 1 1 1 1 1 1 1		•					
40	Media	40					•	•	•																			
42	Innova	70/80					•		•												1 1 1 1 1 1 1 1 1 1							
44	Snap frames	10/21					•	•		•																		

### VITICOM CONTENTS

2	ATITUCOM® E	AT A GLANCE	
• • • • • • • • • • • • • • • • • • • •			۰
4	THE ADVANT	AGES OF VITINCOM®	(

- 5 VITINCOM® OUTDOOR "QUALITY 7"
- OUTDOOR LOCKABLE
  NOTICE BOARDS
- 8 "TRADITION" RANGE Single and dual-door
- 10 "CLASSIC" RANGE
- 12 "1000" RANGE Single and dual-door
- **14** "2000" RANGE
  Single and double sided
- **16 POST KITS** 60 x 40 mm, Ø 76 mm, Quatro
- 18 DECORATIVE AND STANDARD HEADER BOARDS
- 20 LED LIGHTING KITS AND MAGNETS

### DECORATIVE THEMED NOTICE BOARDS

- 24 "SCHOOL FUN" NOTICE BOARDS
- 26 "WATER FUN" NOTICE BOARDS
- 28 "GOURMET" NOTICE BOARDS
- **30 PARK NOTICE BOARDS**

### III INDOOR NOTICE BOARDS

- 34 "ACCESS" RANGE
- **36** "ALLURE" RANGE
  Single and dual-door
- **38 SLIDING DOOR NOTICE BOARDS**
- 40 "MEDIA" RANGE
- 42 "INNOVA" RANGE
- 44 SNAP FRAMES
- 46 LED LIGHTING KITS AND MAGNETS
- 47 DISPLAY STANDS
- 48 FLAGS
- 49 ACCESSORIES
- 50 INDEX

### Legend

Throughout the catalogue, icons are used to help you identify the characteristics of each range of Vitincom® notice board: accessories, colours, availability...

### **PRODUCT INFORMATION**





Products with outdoor "Quality 7" VITINCOM® (see page 5)

Products in stock







VITINCOM® magnets included

nets included Nent

Depth of the notice board Standard RAL colours

#### **ACCESSORIES**





Decorative header board (see page 18)

Standard header board (see page 18)





Post kits (see page 16)

LED lighting kits (see page 20 or 46)

### VITINCOM® your guarantee of quality

### Peace of mind

All VITINCOM® products are supplied with a five-year guarantee\*. No VITINCOM® products are made under license. To protect and to ensure the quality of our products and guard against low quality copies, all VITINCOM® products are labelled.

### → A wide range

The exceptionally wide & broad range offered by VITINCOM® makes it one of the most comprehensive brands of display in Europe: outdoor or indoor notice boards, in anodised or painted finish, with or without posts... offering the ability to meet your expectations all in a fully controlled budgetary framework

### → Materials & norms

*Glazing*: Plexichoc®: transparent organic UV blocking glazing material with good shock resistance ISO 7032-2. Safety glass: tempered glass BS EN 12150-1.

Aluminium profile: Conforms to EN AW 6060 - BS EN 573-3. Aluminium posts: Conform to EN AW 6106, EN AW 6060 and EN AW 6063 - EN 755-2, providing high mechanical strength.

### → Quality & durability in design

One of the best ways to act environmentally responsible is to design & manufacture sustainable products, limiting the frequency of their renewal. Anodised profiles undergo electro-chemical treatment resulting in a 15  $\mu$  thick protective surface coating of aluminium oxide. Painted profiles are powder coated using polyester powder to 60  $\mu$  then oven-baked at 180-200°C. All paint finishes are UV treated to ensure that the original colour is not lost over time.

### Packaging

Packaging is of high quality to ensure that you receive goods in perfect condition. The packaging used is specific to the nature of the product — reinforced cardboard boxes, banding, cloth sheathes & wooden crates.

### → A large choice of accessories

VITINCOM® offers a large choice of accessories as standard: post kits, decorative & standard header boards, LED lighting kits

### → Recycling & Social responsibility

VITINCOM® is committed to continual improvement in its environmental performance and to demonstrate a strong sense of responsibility for people and the environment.

VITINCOM® has established with its partners, a recycling process optimisation policy without sacrificing quality. -100% of VITINCOM® notice boards are recyclable (door, back, profile, packaging)

- -100% of steel, aluminium, plastic & wood off cuts are recucled.
- -100% of waste (oil, paint, etc) are collected and disposed of by specialised waste disposal facilities.

### → Colours

For each notice board, a range of standard colours is offered. Should your project require a different colour, at VITINCOM® we can supply your notice board in any RAL colour (please contact us for more details). The majority of products with an anodised finish are in stock and also in the best selling colours.











### VITINCOM® OUTDOOR "QUALITY 7"

Safe, secure, waterproof& lockable



LOCKABLE
Exclusive VITINCOM®
tamper-proof
safety lock with
hidden latch.



FULL DISPLAY

100% of the display
surface visible (lock
mounted on the door
not the glazing).

















## OUTDOOR LOCKABLE NOTICE BOARDS

- 8 "TRADITION" RANGE
  Single and dual-door
- 10 "CLASSIC" RANGE
- **12 "1000" RANGE**Single and dual-door
- **14 "2000" RANGE**Single and double sided
- **16 POST KITS** 60 x 40 mm, Ø 76 mm, Quatro
- 18 DECORATIVE AND STANDARD HEADER BOARDS
- 20 LED LIGHTING KITS AND MAGNETS



### "TRADITION" NOTICE BOARDS

Single and dual-door

Slimline, elegant and compact, the most popular way to protect documents outside.

### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- Slimline and discreet using a narrow profile.
- Available in the popular and traditional dual-door format for greater display area.
- Simple and durable design.

- 30 mm profile.
- From 2 to 18 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish.
- 4mm Plexichoc® vandal-resistant glazing.
- Portrait door or dual door.
- Waterproof elastomer seal.
- Tamper-proof safety lock, supplied with 2 keys.
- Wall or post mounting (optional).
- Galvanised steel backboard in a white lacquered finish for use with magnets.

- Rear painted grey RAL 9002.
- VITINCOM® magnets supplied (1 per A4).
- Choice of optional accessories (see pages 16 to 20):
- > 60 x 40 mm post kit.
- > Decorative header boards.
- > LED lighting kits.
- > Additional magnets.





























External	H 400 x 550 mm	H 750 x 550 mm	H 750 x 750 mm	H 660 x 905 mm	H 1050 x 750 mm	H 750 x 1200 mm	H 1050 x 1400 mm
dimensions	2 A4	4 A4	6 A4	8 A4	9 A4	8 A4	18 A4
Window size	303 x 453 mm	653 x 453 mm	653 x 653 mm	563 x 808 mm	953 x 653 mm	2 x 653 x 516 mm	2 x 953 x 616 mm
Door type	Portrait	Portrait	Portrait	Portrait	Portrait	Dual-door	Dual-door
Glazing	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®
Anodised code	505000	505001	505002	505050	505003	505075	505076
Painted code	405000	405001	405002	405050	405003	405075	405076
LED kit code	509100	509100	509101	509135	509101	509120	509121

### "CLASSIC" NOTICE BOARDS

Classic and discreet, the ideal notice board for public buildings and corporate offices.

### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- Available with a choice of 4mm anti-vandal Plexichoc® glazing or tempered safety glass.
- → A deeper profile than the "Tradition", the "Classic" can offer larger display formats while maintaining all structural integrity.

- 58 mm profile.
- From 4 to 21 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish.
- 4mm Plexichoc® vandal-resistant glazing (or tempered safety glass on request).
- Portrait door. Larger formats use raising doors suspended on gas struts for easy opening and support.
- Waterproof elastomer seal.
- Tamper-proof safety lock, supplied with 2 keys. 2 locks on models of 1350 mm in height and all raising door models.

- Wall or post mounting (optional).
- Galvanised steel backboard in a white lacquered finish for use with magnets.
- Rear painted grey RAL 9002.
- ◆ VITINCOM® magnets supplied (1 per A4).
- Choice of optional accessories (see page 16 to 20):
- > 60 x 40 mm post kit.
- > Decorative header boards.
- > LED lighting kits.
- > Additional magnets.

















#### Code 406081

- + Post kit. Code 416358
- + Dome header, Code 409006



#### Code 506004

- + Post kit. Code 516358
- + PLUS post. Code 516470














<sup>\*</sup> Available in tempered safety glass in request.

### "1000" NOTICE BOARDS

Single and dual-door

A strong and timeless notice board with a wide range of sizes and accessories allowing all combinations.

#### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- Robust 75 mm profile allows a choice of very large formats in total security.
- Available in large dual-door format for large displays.
- Available with a choice of 4mm anti-vandal Plexichoc glazing or tempered safety glass.

- 75 mm profile.
- From 8 to 30 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish.
- 4mm Plexichoc® vandal-resistant glazing (or tempered safety glass on request).
- Portrait door. Larger formats use raising doors suspended on gas struts for easy opening and support.
- Waterproof elastomer seal.
- Tamper-proof safety lock, supplied with 2 keys. 2 locks on models of 1350 mm in height and all raising door models.

- Wall or post mounting (optional).
- Galvanised steel backboard in a white lacquered finish for use with magnets.
- Rear painted grey RAL 9002.
- VITINCOM® magnets supplied (1 per A4, maximum 20 per notice board).
- Choice of optional accessories (see page 16 to 20):
- > 0 76 mm round post kit.
- > Quatro post kit.
- > Standard header boards.
- > LED lighting kits.
- > Additional magnets.








Magnets supplied





Code 507080



Code 407084 + Lighting kit. Code 509117






75 mm Accessories pages 16 to 20







+ Quatro PLUS post. Code 416406 + Header board. Code 402912 & 402910



### "2000" NOTICE BOARDS

Single and double sided

An elegant contemporary design featuring radius corners, with the adaptability for any project.

#### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- Elegant cast aluminium radius
   corners.
- → Adaptability: wide choice of formats, single or double sided, anodised or painted finish, Plexichoc® glazing or safety glass, wall or post mounted, with or without header board or lighting.

- 75 mm profile.
- From 8 to 60 A4 sheets (double sided model).
- Single or double sided.
- Aluminium frame in anodised or painted finish.
- Radius corners.
- 4mm Plexichoc® vandal-resistant glazing (or tempered safety glass on request).
- Portrait door. Larger formats use raising doors suspended on gas struts for easy opening and support.
- Waterproof elastomer seal.
- Tamper-proof safety lock, supplied with 2 keys. 2 locks on models of 1350 mm in height and all raising door models.

- Wall or post mounting (optional)
- Galvanised steel backboard in a white lacquered finish for use with magnets.
- Rear painted grey RAL 9002.
- VITINCOM® magnets supplied (1 per A4, maximum 20 per notice board).
- Choice of optional accessories (see page 16 to 20):
- > 0 76 mm round post kit.
- > Quatro post kit.
- > Standard header boards.
- > LED lighting kits.
- > Additional magnets.









Externo dimens		H 1000 x 750 mm	H 1350 x 750 mm	H 1350 x 1000 mm	H 1000 x 1350 mm	H 1000 x 1600 mm	H 1000 x 2010 mm	H 1350 x 1710 mm	H 1710 x 1350 mm
Window siz	ze	901 x 651 mm	1251 x 651 mm	1251 x 901 mm	889 x 1239 mm	889 x 1489 mm	889 x 1899 mm	1239 x 1599 mm	1599 x 1239 mm
Door type	9 9 9	Portrait	Portrait	Portrait	Raising	Raising	Raising	Raising	Raising
Glazing*	0 6 6	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®	Plexichoc®
	Anodised code	510070	510002	510003	510071	510072	510075	510073	510074
Single sided	Painted code	410070	410002	410003	410071	410072	410075	410073	410074
Jidea	LED kit code	509116	509123	509102	509136	509106	509109	509107	509104
	Anodised code	512070	512002	512003	512071	512072	512075	512073	512074
Double sided	Painted code	412070	412002	412003	412071	412072	412075	412073	412074
0.304	LED kit code	509123	509124	509132	509104	509133	509138	509134	509137

### **POST SYSTEMS**

All outdoor models can be securely mounted on post systems specifically designed and tested for VITINCOM® notice boards. Easy to install, safe, and require no drilling of the notice board, ensuring that it remains waterproof.

### 1 60 x 40 post kit for "Tradition" and "Classic" ranges

- Posts in anodised or painted finish.
- Black top cap.
- Attached to the rear of the notice board using brushed stainless steel brackets.
- Post kit contains 2 posts and 4 mounting brackets.
- To be embedded into a concrete base (total height of the posts 2600mm) or on base plates (total height of the posts 2200mm).

#### 60 x 40 PLUS post

- A central post used to align several "Tradition" or "Classic" notice boards (except notice boards with width ≥ 1400 mm).
- Kit contains 1 post and 2 central brushed stainless steel mounting brackets.
- To be embedded into a concrete base.
- Warning: 60 x 40 PLUS post for a "Tradition" is different from a 60 x 40 PLUS post for a "Classic".

### Round 0 76 mm post kit for "1000" and "2000" ranges


- Round 76 mm diameter aluminium posts in anodised or painted finish.
- Black lacquered steel top cap.
- Easy installation with no drilling required using dovetailed cast aluminium clamps.
- Notice board adjustable in height.
- ◆ To be embedded into a concrete base.
- Post kit contains 2 0 76 mm posts and 4 cast aluminium clamps.
- Height: see table opposite (page 17).

### 3 Quatro post kit for "1000" and "2000" ranges

- Oblong and dovetailed aluminium posts 80 x 125 mm in anodised or painted finish.
- Black lacquered steel top cap.
- Easy installation with no drilling required using dovetailed cast aluminium clamps.
- Notice board adjustable in height.
- To be embedded into a concrete base or on base plates (ground hoop bolts supplied).
- Height: see table opposite (page 17).
- Post kit contains 2 Quatro posts and 4 cast aluminium clamps.

#### Quatro Plus post

- A central post used to align several "1000" or "2000" notice boards.
- Kit contains 1 post and 4 cast aluminium clamps.
- If the alignment is likely to be exposed to strong winds we strongly recommend embedding in a concrete base.





















Post kit	PLUS post
	Post kit

,								
	Model	Height of notice board (mm)	Installation	Anodised code	Painted code	Post height	Anodised code	Painted code
1/	"Tradition" WITHOUT	400-660-750-1050	Concrete fix	516356	416356	2600 mm	516460*	416460*
	deco header board	400-000-130-1030	Base plates	516357	416357	2200 mm	-	-
60 x 40 mm		750-830-1050	Concrete fix	516356	416356	2600 mm	516470	416470
	"Classic" WITHOUT	L20-020-1020	Base plates	516357	416357	2200 mm	-	-
	deco header board	1080-1130	Congrete fix only	516358	416358	2600 mm	-	-
		1350	Concrete fix only	516358	416358	2600 mm	516470	416470
	"Tradition" & "Classic" WITH	400-660-750-830	Canarata fix anlu	516356	416356	2600 mm	-	-
	deco header board**	1050-1080-1130-1350	Concrete fix only	516358	416358	2600 mm	-	-
2/	"1000" & "2000" WITHOUT	750-1000-1050		516410	416410	2475 mm	-	-
	header board	1350-1710	Can avata fix and	516411	416411	2700 mm	-	-
0 76 mm	"1000" & "2000" WITH	750-1000-1050	Concrete fix only	516411	416411	2700 mm	-	-
	header board	1350-1710		516413	416413	3000 mm	-	-
3/		750-1000-1050	Concrete fix	516400	416400	2475 mm	516402	416402
	"1000" & "2000" WITHOUT	750-1000-1050	Base plates	516401	416401	2058 mm	516403	416403
Quatro	header board	1350-1710	Concrete fix	516404	416404	2700 mm	516406	416406
		1330-1710	Base plates	516405	416405	2208 mm	516407	416407
	"1000" & "2000" WITH	750-1000-1050	Congrete fix only	516404	416404	2700 mm	516406	416406
	header board	1350-1710	Concrete fix only	516408	416408	3000 mm	516409	416409

<sup>\*</sup>Except "Tradition" dual-door notice boards (H 750 x 1200 mm and H 1050 x 1400 mm). \*\* Post kits include steel reinforcement to ensure stability & correct wind loading.

## DECORATIVE & STANDARD HEADER BOARDS

Personalise your display with a header board, specifically designed for VITINCOM® notice boards.

### 17 to 37 Decorative header boards for "Tradition" and "Classic" ranges

- Plasma cut from 2 mm steel sheet.
- 3 shapes:
- > 1 Dome
- > 2 Wave
- > 3 Point
- 6 standard colours: to match standard notice board RAL colours + RAL 9006 to match an anodised finish.
- Attached to a wall using pre-drilled mounting holes or on posts using the 60 x 40 post kit.

### 4/5/Standard header boards for "1000" & "2000" ranges on posts


- 75 mm aluminium frame matching the notice board.
- Height 220 mm.
- Signage surface in galvanised steel backboard in a white lacquered finish.
- Right angle corners ("1000") or radius corners ("2000").
- 6 standard colours: to match standard notice board RAL colours + RAL 9006 to match an anodised finish.
- Supplied with 2 cast aluminium clamps.


#### Sign writing (optional)


 All header boards are supplied blank. Should you require a sign writing service please contact your dealer.

**Warning:** for safety reasons, decorative and standard header boards must be used with concrete fixed posts kits only.

RAL colours for decorative and standard header boards







17 Dome (Sign writing: contact your dealer)



27 Wave (Sign writing: contact your dealer)



3 Point (Sign writing: contact your dealer)



4 Standard header boards for "1000"

(Sign writing: contact your dealer)



5 Standard header boards for "2000"

(Sign writing: contact your dealer)

### Decorative header boards for "Tradition" and "Classic" ranges

Notice board width (mm)	Dome	Wave	Point
550	409000	409010	409020
750	409001	409011	409021
905	409002	409012	409022
980	409003	409013	409023
1000	409004	409014	409024
1200	409005	409015	409025
1330	409006	409016	409026
1400	409007	409017	409027
1600	409008	409018	409028

### Standard header boards for "1000" & "2000" ranges on posts

Notice board width	For "1000" ranges	(mitered corners)	For "2000" ranges (radius corners)			
(mm)	Anodised	Painted	Anodised	Painted		
750	502910	402910	502900	402900		
1000	502911	402911	502901	402901		
1350	502912	402912	502902	402902		
1600	502913	402913	502903	402903		
1710	-	-	502906	402906		
2010	502914	402914	502904	402904		
F	or dual-door "1000" ran	ges				
1200	502918	402918				
1800	502917	402917				
2300	502919	402919				

### LED LIGHTING KITS AND MAGNETS

#### LED Lighting kits

- High efficiency white light: typical brightness 60 Lumens per watt\*.
- Life expectancy: 75,000 hours\*.
- Energy efficiency: 15 watts\* per linear metre of electricity consumed.
- Lighting kit comprises 1 or 2 LED ribbons (one for the top & one for the bottom depending on size) with a transformer to be installed outside the notice boards.
- Product codes: see table.
- Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations.
- For a factory fitted kit please contact your dealer.
- \*except codes 509100, 509101, 509120 and 509121: 20 lumens/watt, 50,000 hours, 5 watts/ linear metre.

#### Technical specifications:

- LED: IP 44.
- Transformers: IP 67.
- Maximum recommended distance between LED ribbon and transformer:
- > 5 m with 2 x 0.75 mm<sup>2</sup> cable,
- > 10 m with 2 x 1.5 mm<sup>2</sup> cable,
- > 15 m with 2 x 2.5 mm<sup>2</sup> cable.



#### **LED Lighting kits**

Code	LED ribbon length (mm)	No. LED ribbons	Transformer
509100	450	2	18 W
509101	650	2	18 W
509102	950	2	30 W
509103	1150	1	30 W
509104	1300	2	60 W
509106	1550	1	30 W
509107	1650	2	60 W
509108	1750	1	30 W
509109	1950	1	30 W
509110	2250	1	60 W
509115	500	1	18 W
509116	700	1	18 W
509117	900	1	18 W
509120	1100	2	18 W
509121	1300	2	18 W
509123	700	2	30 W
509124	700	4	60 W
509132	950	4	100 W
509133	1550	2	60 W
509134	1650	4	100 W
509135	800	2	18 W
509136	1250	1	30 W
509137	1300	4	100 W
509138	1950	2	60 W

### 2 VITINCOM® Magnets

• 0 23 mm in packs of 10 units.



#### 3 Coloured Magnets

• 0 10, 20 or 30 mm in packs of 12 [1 colour per pack].



2 0 23 mm VITINCOM® magnets, pack of 10	502020
3/010 mm magnets, pack of 12	502002
3/ 0 20 mm magnets, pack of 12	502001
3 / 0 30 mm magnets, pack of 12	502000



All doors to VITINCOM® OUTDOOR "QUALITY 7" notice boards are replaceable in case of major vandalism (contact your dealer for more details).

If you are unable to find a model to meet your needs in our standard ranges, contact your dealer about bespoke notice boards built to your requirements.

As standard, the rear of a VITINCOM® notice board is painted grey RAL 9002. Should you prefer another colour, contact your dealer.





















"1000" notice boards







## "SCHOOL FUN" NOTICE BOARDS

An imaginative, colourful and fun range of notice boards to brighten up information inside or outside of schools, playgrounds, amusement parks, campsites...

### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- All the proven qualities of a "Tradition" notice board.
- → Exclusive designs for notice boards that actively participate in the ambience! All notices or displays are very easily seen.
- The Information Tree is unique. A fully decorated notice board to hold 6 x A4, painted green and copper brown.


#### The animals

- A "Tradition" notice board, 30 mm profile (see page 8).
- 3 different sizes, from 2 A4 to 6A4.
- Tamper-proof safety lock, supplied with 2 keys.
- Notice boards mounted on a plasma cut 2 mm steel sheet.
- Wall mounting.
- ◆ VITINCOM® magnets supplied (1 per A4).
- 6 animal shaped decorative plates:
- > Bunny, Butterfly (2A4),
- > Teddy bear, Penguin (4 A4),
- > Owl, Tortoise (6 A4).

#### Information Tree

- All the proven qualities of a "Tradition" notice board (see page 8).
- 6 A4.
- 2 versions:
- > Wall mounted version: 2 mm steel sheet.
- Post mounted version: compact HPL (high pressure laminate) with a 93 x 93 mm wooden post and a galvanised base socket plate.
- VITINCOM® magnets supplied (1 per A4).


















## "WATER FUN" NOTICE BOARDS

Original notice boards to add value and information in or outside of swimming pools, theme parks, promenades, schools, campsites...

### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- All notices or displays are very easily seen.
- Exclusive designs for notice boards that actively participate in the ambience!
- All the proven qualities of a "Tradition" notice board.
- A "Tradition" notice board, 30 mm profile (see page 8).
- 3 different sizes, from 2 A4 to 6A4.
- Tamper-proof safety lock, supplied with 2 keys.
- Notice boards mounted on a plasma cut 2 mm steel sheet.
- Wall mounting.
- VITINCOM® magnets supplied (1 per A4).

- 4 animal shaped decorative plates:
- Dolphin (2A4),
- > Turtle (4A4),
- > Fish (6A4),
- > Starfish (6A4).

**Warning**: for increased durability, we recommend installation out of reach of regular splashes of chlorinated salinated water.







Magnets supplied





		550 mm	H 750 x	550 mm	H 750 x	750 mm	H 750 x 750 mm		
external dimensions	2 A4		4 A4		6 A4		6 A4		
Total dimensions	H 941 x 1	L441 mm	H 1427 x 993 mm		H 991 x 3	.442 mm	H 1439 x	1442 mm	
Window size	303 x 4	53 mm	653 x 453 mm		653 x 653 mm		653 x 653 mm		
Door type / Glazing	Portrait /	Plexichoc®	Portrait /	Plexichoc®	Portrait / Plexichoc®		Portrait /	Plexichoc®	
Animal	Dolphin		Turtle	and the same of th	Fish		Starfish	4	
Painted code	405031	<b>7-3</b>	405032	· <del>**</del> *	405033		405034		

## "GOURMET" NOTICE BOARDS

Modern notice boards to enliven the walls of dining establishments while providing visibility to drinks & food menus, opening hours...

#### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- All the proven qualities of a "Tradition" notice board.
- A "Tradition" notice board, 30 mm profile (see page 8).
- 3 different sizes, from 2 A4 to 6A4.
- Tamper-proof safety lock, supplied with 2 keys.
- Notice boards mounted on a plasma cut 2 mm steel sheet.
- Wall mounting.
- ◆ VITINCOM® magnets supplied (1 per A4).

- **Exclusive designs** for notice boards that actively participate in the ambience!
- All notices or displays are very easily seen.
- 5 shaped decorative plates:
- ➤ Coffee (2A4),
- Beer (4A4),
- > Cocktail (4A4),
- > Round Menu case (6A4),
- > Square Menu case (6A4).
- For lighting options please contact your dealer.

















Shape

Painted code

### 30 mm Accessories

Coffee

405040

Code 405041



H 400 x 550 mm

H 625 x 1000 mm

303 x 453 mm

Code 405044

Notice board external dimensions	
Total dimensions	
Window size	
Door type / Glazing	








405042

Code 405042



6 A4



405044

### PARK NOTICE BOARD

The elegant combination of wood and aluminium to protect and display the information in a discreet and natural way with minimal maintenance.

#### **PRODUCT FEATURES**

- OUTDOOR "QUALITY 7": hinge free, lockable, full display, strength, practical, adaptable, waterproof (see page 5).
- Aesthetics and materials in harmony with the natural environment.
- A choice of several models, all as one product including post systems.

### Wood framed aluminium "Park" notice board with roof

- 3 profile depths: 30 mm profile ("Tradition"), 58 mm profile ("Classic"), 75 mm profile ("2000").
- Single or double sided depending on model.
- Anodised finish.
- Vertical FSC exotic hard wood posts (included)
   60 x 60 x 2000 mm or
   93 x 93 x 2300 mm depending on model, mahogany effect finish.
- Installation on galvanised base plates finished in RAL 8012, (fixing rods supplied to be concreted in).
- Roof in maintenance free 8 or 13 mm maintenance free

compact HPL (high pressure laminate) depending on model, mahogany effect finish.

 VITINCOM® magnets supplied (1 per A4, maximum 20 per notice board).


### Post mounted information tree


- A fully decorated 750 x 750 mm "Tradition" notice board to hold 6 x A4, painted RAL 6018 green with a steel back.
- 12 mm compact HPL (high pressure laminate) tree (RAL 6018 & 8004).
- 93 x 93 x 2000 mm FSC exotic hard wood post, mahogany effect finish.
- Galvanised base socket plate.

### Wooden information panels & display lecterns

- Height above ground:
- > Information panels: 1900 mm.
- > Display lecterns: 900 mm.
- Signage surface:
- Information panels: 400 x 400 or 600 x 600 mm.
- Display lecterns: 300 x 300 or 400 x 600 mm.
- Blank sign in 13 mm maintenance free compact HPL.
- Support post in FSC exotic hardwood 93 x 93mm
- Finished with a water based stain preserver in mahogany or light oak colour.
- Fixed on galvanised base plates (fixing rods supplied to be concreted in).
- Signage not included.









supplied



















	Park notice boards				Display lecterns			
Notice board external dimensions / Depth	H 660 x 905 mm / 30 mm	H 1080 x 1330 mm / <b>58 mm</b>	H 1000 x 2010 mm / <b>75 mm</b>	H 750 x 750 mm / <b>30</b> mm	H 400 x 400 mm	H 600 x 600 mm	H 300 x 300 mm	H 400 x 600 mm
,	8 A4	18 A4	27 A4	6 A4	T		T	
Window size	563 x 808 mm	983 x 1233 mm	889 x 1899 mm	653 x 653 mm		9 9 9 9 9		
Door type / Glazing	Portrait / Plexichoc®	Raising / Plexichoc®	Raising / Plexichoc®	Portrait / Plexichoc®				
Post	60 x 60 mm	60 x 60 mm	93 x 93 mm	93 x 93 mm	93 x 93 mm	93 x 93 mm	93 x 93 mm	93 x 93 mm
Single sided code	407510	407511	407512	408000	527150	527151	527141	527142
Double sided code	-	=	407513	=	-	-	-	-
LED kit code	509135	509136	509109 (SS) / 509138 (DS)	=	-	= = = = = = = = = = = = = = = = = = =	10	- /





# "ACCESS" ECONOMY INTERNAL NOTICE BOARDS, PINBOARDS AND WHITEBOARDS

Functional and economical, these indoor notice boards are ideal for smaller budgets.

### **PRODUCT FEATURES**

**Economical** and simple products.

→ Steel back for use with magnets or cork back.

#### Lockable notice boards

- 30 mm profile.
- From 4 to 9 A4 sheets.
- Single sided.
- Anodised aluminium frame using plastic radius corners to hide wall mounting points.
- Acrylic glazing.
- Portrait door.
- Wall mounted (rawl plugs and screws supplied) or internal stand (optional).
- Steel back or cork back.
- Magnets or drawing pins supplied.

#### Pinboard & whiteboard

- Anodised aluminium frame using plastic radius corners.
- Available in 600 x 900 mm or 900 x 1200 mm.
- Single sided.
- Wall mounted.
- Pen holder with tray, dry wipe surface using lacquered sheet steel magnetic back or cork back.

#### Disclaimer

The products in the "ACCESS" range are not manufactured in our factories. Their finish is not comparable to VITINCOM  $^\circ$  products and are not covered by extended guarantees.














## "ALLURE" NOTICE BOARDS Single and dual-door


A robust indoor range, compact and perfectly finished to display your information in the hallways of councils, schools, lobbies, waiting rooms, hospitals, associations,...

#### **PRODUCT FEATURES**

- Robust: hinge free, lockable, full display, galvanised steel back or cork.
- Reversible door.
- → VITINCOM® magnets supplied (1 per A4) with the steel version.

- 30 mm profile.
- From 2 to 18 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish (except dual-door: anodised finish only).
- 4mm Plexichoc® vandal-resistant glazing.
- Portrait door or dual door.
- Wall mounted or internal stand (optional).

- Galvanised steel backboard in a white lacquered finish for use with magnets or cork back, (except dual-door model).
- Choice of optional accessories (see page 46):
- > VITINCOM® magnets supplied (1 per A4).
- ➤ LED lighting kits (for metal back notice boards only).
- > Additional magnets.







Magnets supplied


















30 mm Accessories







# SLIDING DOOR NOTICE BOARDS

Recommended for corridors where there is limited space.

#### **PRODUCT FEATURES**

- From small to **extra large** format (30 A4 sheets), sliding door notice boards can hold a great amount of information.
- The notice boards require **little**access space due to the sliding doors.
- → VITINCOM® magnets supplied (1 per A4) with the steel version.

#### 1 "Allure" style


- 34 mm profile.
- From 8 to 12 A4 sheets.
- Single sided.
- Aluminium frame with an anodised finish with safety bevelling.
- 2 sliding doors, 1 lock supplied with 2 keys.
- 4 mm rigid acrylic glazing.
- Galvanised steel backboard in a white lacquered finish for use with magnets or cork back.
- Wall mounted or internal stand (optional).
- VITINCOM® magnets supplied (1 per A4).

#### 2 "Classic" Style

- 60 mm profile.
- From 8 to 30 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish with rounded corners for increased safety.
- 2 sliding doors mounted on trucks for ease of opening, 1 lock supplied with 2 keys.
- 6 mm tempered safety glass.
- Galvanised steel backboard in a white lacquered finish for use with magnets or cork back.
- Wall mounted.
- VITINCOM® magnets supplied (1 per A4, maximum 20 per notice board).

## Choice of optional accessories (see page 46)

- > LED lighting kits.
- > Additional magnets.







Magnets supplied






















		17 "	Allure"	"Classic"						
External d	imensions	H 750 x 1 000 mm	H 750 x 1400 mm	H 750 x 1000 mm	H 750 x 1400 mm	H 1050 x 1800 mm	H 1050 x 2300 mm			
		8 A4	12 A4	8 A4	12 A4	24 A4	30 A4			
Window size		714 x 964 mm	714 x 1364 mm	684 x 934 mm	684 x 1334 mm	984 x 1734 mm	984 x 2234 mm			
Glazing		Rigid acrylic	Rigid acrylic	Tempered safety glass	Tempered safety glass	Tempered safety glass	Tempered safety glass			
Canal hank	Anodised	505100	505101	513000	513001	513002	513003			
Steel back Painted		-	-	413000	413001	413002	413003			
	LED kit	509130	509131	509117	509136	509108	509110			
Anodised		505102	505103	513004 513005		513006	513007			
Cork back	Painted	-	-	413004	413005	413006	413007			
	LED kit	509130	509131	509117	509136	509108	509110			
Star foot star	nd	2 x 513510	2 x 513510	-	-	-	-			

# "MEDIA" NOTICE BOARDS

A notice board with a modern design, to add value to notices in offices, reception halls, waiting rooms...

#### **PRODUCT FEATURES**

- → An original modern **design**.
- Excellent value for money.
- → VITINCOM® magnets supplied (1 per A4) with steel back models.

- 40 mm profile.
- From 2 to 9 A4 sheets.
- Single sided.
- Aluminium frame in anodised or painted finish.
- Portrait door in 4 mm tempered safety glass.
- Lock situated on the left or right.
- Wall mounted.

- Galvanised steel backboard in a white lacquered finish for use with magnets.
- Factory fitted cork back available (optional).
- VITINCOM® magnets supplied (1 per A4).
- Choice of optional accessories (see page 46):
- > LED lighting kits.
- > Additional magnets.
















Magnets supplied









 H 679 x 512 mm
 Portrait / Tempered safety glass
 504240
404241
404242
404243
509125
 502140



	H 715 x 722 mm
	6 A4
	Portrait / Tempered safety glass
:	504260
	404261
	404262
	404263
	509127
:	502160



H 976 x 722 mm
9 A4
Portrait / Tempered safety glass
504290
404291
404292
404293
509127
502190



# "INNOVA" NOTICE BOARDS


Originality, modernity and simplicity characterise this range. Sleek design, frameless without lock will contribute to the decoration of its environment.

#### **PRODUCT FEATURES**

- A notice board which is aethetically pleasing, original and economical.
- A closing method exclusive to "INNOVA" with no lock or key.
- → VITINCOM® magnets supplied (1 per A4) with steel back models.

- **70 mm** profile (2 A4 & 4 A4) or **80 mm** profile (6 A4 & 8 A4).
- From 2 to 8 A4 sheets.
- Single sided.
- ◆ Portrait door in 4mm Plexichoc® glazing.
- Opens by applying pressure to the centre of the notice board.
- Steel backboard in a painted finish for use with magnets.

- Factory fitted cork back available (optional).
- ◆ VITINCOM® magnets supplied (1 per A4).
- Choice of optional accessories (see page 46):
- > LED lighting kits.
- > Additional magnets.









Magnets supplied


















Code 404324 + Cork back (optional) Code 503120

## 70/80 mm Accessories

Code 404344



Code 404362

External dimensions	H 320 x 480 mm
Window size	320 x 480 mm
Door type / Glazing	Portrait / Plexichoc®
Ruby red	404322
Black	404323
Cement grey	404324
White	404327
LED Kit	509126
Cork back (optional)	503120




H 617 x 480 mm
4 A4
617 x 480 mm
Portrait / Plexichoc®
404342
404343
404344
404347
509126
503140





 H 863 x 654 mm
863 x 654 mm
Portrait / Plexichoc®
404382
404383
404384
404387
509127
503180



## **SNAP FRAMES**

An economical way of displaying information temporarily. Adapted for frequent changes.

#### **PRODUCT FEATURES**

- Simple and quick to change the display.
- Two models:
  - "Eco Clic" snap frame: simple, anodised aluminium frame.
  - "Robusto" snap frame: reinforced, anodised or painted aluminium frame.

#### "Eco Clic" snap frame

- 10 mm profile.
- Anodised aluminium frame.
- Available in A4 or A3 format.
- Opened and closed by pivoting the sprung aluminium side sections.
- Anti-glare protective front sheet.


#### 2 "Robusto" snap frame

- 21 mm profile.
- Particularly robust anodised or painted aluminium frame, (may be used outside if in a moderately covered area).
- Plastic radius corners.
- 3 formats: 4 A4, 8 A4, 16 A4.
- Opened and closed by pivoting the sprung aluminium side sections.
- 1 mm anti-glare protective front sheet.

#### Disclaimer

The products in the Snap Frames range are not manufactured in our factories. Their finish is not comparable to VITINCOM® products and are not covered by extended guarantees.

















## 10/21 mm

	17	"Ес	o Clic"	2/	"R	obusto"				
External dimensions	H 325 x 240 mm		H 450 x 325 mm	H 670 x 490 mm	H 870 x 670 mm		H 1270 x 870 mm		П	$\overline{\Box}$
	A4		A3/2A4	A2 / 4 A4	A1/8A4		AO / 16 A4		$\Box$	$\top$
Window size	275 x 190 mm		400 x 275 mm	595 x 415 mm	795 x 595 mm		1195 x 795 mm		$\vdash$	+
Anodised	504110		504120	515002	515003		515004	$\vdash$	$\vdash$	+
Painted	-		-	415002	415003		415004		Ш	

## LED LIGHTING KITS AND MAGNETS

#### **1** LED Lighting kits

- High efficiency white light: typical brightness 60 Lumens per watt\*.
- Life expectancy: 75,000 hours\*.
- Energy efficiency: 15 watts\* per linear metre of electricity consumed.
- Lighting kit comprises 1 or 2 LED ribbons (one for the top & one for the bottom depending on size) with a transformer to be installed outside the notice boards.
- Product codes: see table.
- Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations.
- For a factory fitted kit please contact your dealer.
- \*except codes 509100, 509101, 509120 and 509121: 20 lumens/watt, 50,000 hours, 5 watts/linear metre.

#### Technical specifications:

- ◆ LED: IP 44.
- Transformers: IP 67.
- Maximum recommended distance between LED ribbon and transformer:
- > 5 m with 2 x 0.75 mm<sup>2</sup> cable,
- > 10 m with 2 x 1.5 mm<sup>2</sup> cable,
- > 15 m with 2 x 2.5 mm<sup>2</sup> cable.

	LLD LIGH	ding ki			
Code	LED ribbon length (mm)	No. LED ribbons	Transformer		
509100	450	2	18 W		
509101	650	2	18 W		
509108	1750	1	30 W		
509110	2250	1	60 W		
509117	900	1	18 W		
509120	1100	2	18 W		
509121	1300	2	18 W		
509125	350	1	18 W		
509126	400	1	18 W		
509127	550	1	18 W		
509130	950	1	18 W		
509131	1350	1	30 W		
509136	1250	1	30 W		

**LED Lighting kits** 

#### 2 VITINCOM® Magnets

• 0 23 mm in packs of 10.



#### 3 Coloured Magnets

• 0 10, 20 or 30 mm in packs of 12 (1 colour per pack).



#### 4 Push pins for cork

• Box of 40 multi-coloured push pins.



#### **5** Dry wipe markers

• Pack of 4 colours.



2 0 23 mm VITINCOM® magnets, pack of 10	502020
3 0 10 mm magnets, pack of 12	502002
3 0 20 mm magnets, pack of 12	502001
3 0 30 mm magnets, pack of 12	502000
4 Box of 40 push pins	502003
5 4 dry wipe markers	502005





## **DISPLAY STANDS**

The ideal solution when wall surface is insufficient or unsuitable. Also very practical for temporary displays of exhibitions to hang photos, paintings, etc.

#### **PRODUCT FEATURES**

- A modular and economical way to display.
- Frame in 0 25 mm steel tube with 50 x 50 mm mesh.
- Painted in stippled grey.
- Dimensions: H 2000 x W 1000 mm.
- Includes 6 assembly clips and 12 hooks.
- Supplied as a set of 3 display stands.
- Double-supporting feet (optional).


#### Disclaimer


The products in the Snap Frames range are not manufactured in our factories. Their finish is not comparable to VITINCOM® products and are not covered by extended guarantees.



Display stand + assembly clips + hooks (supplied as a set of 3 display stands)	513603	
Double-supporting feet	513604	
Additional hooks (supplied in packs of 4)	513605	







## **FLAGS & FLAGPOLES**

#### **Flags**

Flags are in traditional 'yard' sizes and in 2:1 ratio (length:height) from 1 yd to 3 yds. Below is a selection of the most popular flags. Consult your dealer for other flags and European sizes.

- → 3 threads, 115g/m², giving the flag a high resistance.
- > Supplied with nylon rings and a reinforced belt.

		Fee	et & Inch	nes		
	3' x 1'6"	4'6" x 2'3"	6' x 3'	7'6" x 3'9"	9' x 4'6"	
	1 yd	1.5 yds	2 yds	2.5 yds	3 yds	
🔐 Union Jack	528410	528411	528412	528413	528414	
St George's flag	528416	528417	528418	528419	528420	
St Andrew's flag	528422	528423	528424	528425	528426	
Northern Ireland flag	528428	528429	528430	528431	528432	
<b>⋙</b> Wales	528434	528435	528436	528437	528438	
<b>I</b> reland	528439	528440	528441	528442	528443	
United States	528460	528461	528462	528463	528464	
<b>S</b> Australia	528466	528467	528468	528469	528470	
● Canada	528472	528473	528474	528475	528476	
South Africa	528478	528479	528480	528481	528482	
<b>E</b> U	528483	528484	528485	528486	528487	
France	528489	528490	528491	528492	528493	
Germany	528495	528496	528497	528498	528499	
<b>l</b> taly	528575	528576	528577	528578	528579	
Netherlands	528581	528582	528583	528584	528585	
Poland	528587	528588	528589	528590	528591	
Spain	528593	528594	528595	528596	528597	

#### **Aluminium flagpoles**

- A white lacquered 0 76 mm cylindrical extruded aluminium pole.
- In one section or two sections with a 0 69 mm grooved aluminium sleeve.
- Features a white decorative 0 159 mm top, white cleat, and halyard.
- Decorative cast aluminium base cover.
- Supplied with standard external protruding socket or optional sleeve system.
- Optional anti-theft device, with internal halyard, consisting of a plastic case (locked by 2 keys), that covers the cleat, a 0 170 mm counterweight and pulley.

Flagpoles with jamming cleats		Code	Flagpoles with anti-theft device		Code
4 metres	1 section	528500	4 metres	1 section	528501
6 metres	1 section	528510	6 metres	1 section	528511
8 metres	2 sections	528520	8 metres	2 sections	528521
10 metres	2 sections	528530	10 metres	2 sections	528533
Optional sleeve system for 0 76 528550					

Glassfibre flagpoles available on request.

Flag Size Recommended						
	Traditional Yards	Feet & Inches		Traditional Yards	Feet & Inches	Metres
Wall	all mounted flagpoles Ground fixed flagpoles					
2 m	1.5	4'6" x 2'3"	4 m	1.5	4'6" x 2'3"	1.37 x 0.69
3 m	2	6' x 3'	6 m	2	6' x 3'	1.83 x 0.91
Façade flagpoles		8 m	2	6' x 3'	1.83 x 0.91	
0.9 m	1	3' x 1'6"	10 m	2.5	7'6" x 3'9"	2.29 x 1.14



### **ADDITIONAL ITEMS**

Request a PROCITY® catalogue to see the full range.



#### 1 2 Pagoda Seat & Bench

Sturdy, this discreet seat will easily find its place in any environment to provide quality comfort.

- Seat length: 2000 mm.
- Frame 80 x 80 mm steel tubes painted with zinc primer, finished in our RAL colours.
- Seat and backrest in 36 mm deep FSC certified exotic hardwood.
- Wood finish: water based colour stain preserver in mahogany.
- Wood uses tamper-proof bolts.
- Mounted on base plates. Anchor bolts supplied.

#### 3 4 Silaos® Seat & Bench

Very popular simple products, solid and stylish, to meet all your needs regardless of where they are used.

- ◆ Lengths 1800 mm.
- Frame and armrests 30 x 50 mm steel tubes, painted on zinc primer in our RAL colours.
- Seat and backrest in PEFC certified French oak, depth 36 mm.
- Wood finish: water based colour stain preserver in mahogany.
- Wood uses tamper-proof bolts. Mounted on base plates.
   Anchor bolts supplied.

#### 5 6 Nursery & Junior Silaos® seat

Conceived to provide seating at the correct height for two groups of young children.

- Seat length: 1500 mm.
- Seat heights:
- > Nursery school version: 270 mm.
- > Primary school version: 390 mm.
- Steel structure, painted with zinc primer, finished in RAL 3020 (red), RAL 1023 (yellow), RAL 6018 (green), RAL 5010 (blue).
- Seat and backrest in PEFC certified French oak, depth 36mm.
- Nursery school version: 4 slats.
- Primary school version: 6 slats.
- Wood finish: lacquered in a single colour or multi-colour.
- Mounted on base plates. Anchor bolts supplied.







Pagoda Seat & Bench	Code	Silaos® Seat & Bench	Code	Nursery & Junior Silaos® Seat	Code	
1 Pagoda Seat - Length 2000mm	299444	3 Silaos® Seat - Length 1800mm	594008	5 Nursery multi-colour Silaos® Seat -Length 1500mm	299002	
2 Pagoda Bench - Length 2000mm	299193	4 Silaos® Bench - Length 1800mm	594034	6 / Junior multi-colour Silaos® Seat - Length 1500mm	299000	

Can't find the dimensions you need from our standard options? Contact us to discuss your bespoke requirements.

















## INDEX

"1000"	. 12
"2000"	.14
60 x 40 / 60 x 40 PLUS posts	.16
"Access"	34
Accessories16 - 18 - 20 -	46
Additional items	49
"Allure"	36
Beer	28
Bunny	24
Butterfly	24
"Classic"	10
Cocktail	28
Coffee	28
Cork back 34 - 36 - 38 - 40 -	42
Decorative header board	.19
Decorative themed notice boards	22
Display stands	47
Dolphin	26
Double sided (notice boards)	. 14

Dry wipe markers	48
Dual-door	. 08 - 12 - 36
"Eco Clic"	44
Fish	28
Flags	48
"Gourmet" notice boards	28
Indoor notice boards	32
Indoor stand	. 34 - 36 - 38
Information tree	25 - 31
"Innova"	42
LED lighting kits	20 - 48
Magnets	20 - 46
"Media"	40
0 76 mm posts	16
Outdoor lockable notice boards	6
0wl	24
Parks notice boards	30
Penguin	24
Pinboards & whiteboard	34

Post kits (outdoor)	16
Push pins	46
Quality 7	5
Quatro / Quatro PLUS posts	16
"Robusto"	44
Roof post kits	30
Round Menu	28
"School fun" notice boards	24
Sliding door	38
Snap frames	44
Square Menu	28
Standard header board	19
Starfish	26
Teddy bear	24
Tortoise	
"Tradition"	8
Turtle	20
VITINCOM® at a glance	
"Water fun" notice boards	

Any reproduction of this catalogue, even partial, is prohibited without prior permission. The products in this catalogue are protected by trademarks and several patents. The product specifications, photos and technical drawings are not contractual. Weights (kg) and dimensions measurements may occasionally be subject to variation. In the interest of continued improvement, the manufacturer reserves the right to make modifications to its products. Recommendations for installation and use of products are given for information only and entail no liability on the part of the manufacturer.





Your approved dealer:



