

PARKS & GREEN SPACES

SEATS

BENCHES

CHAIRS

PICNIC TABLES

PLANTERS

HANGING BASKETS


TREE PROTECTION

LITTER BINS

BICYCLE SHELTERS

BICYCLE STANDS

NOTICE BOARDS



PROCITY® means minimal environmental impact.

Always seeking to preserve natural resources, always favouring quality renewable & sustainable raw materials. Designed, enduring & functional, PROCITY® furniture has ability to meet your expectations.

A brand made in France

Because the desire for innovation and technical expertise, production quality and compliance with specifications is not always found on the other side of the world, PROCITY® products have been manufactured in France for over a quarter of a century. This proximity is a guarantee of industrial responsiveness and flexibility while helping to preserve the industrial base in Europe.

A sustainable approach

From their design development, PROCITY® products are optimised that at equal usage value, they contain an optimal quantity of raw material and allow for maximum recovery of their components for recycling.

Wherever possible, the choice of materials for packaging favoured by PROCITY® - using only wood and recycled paper products - minimises the consumption of natural resources.

Durability in design

One of the best ways to act responsibly on the environment is to design sustainable products, whose design will limit the frequency of their renewal.


Given the raw materials used (particularly steel), anti-corrosion treatment is given particular care at PROCITY®:

> Zinc-rich powder primer paint, thickness 70µ. Used for products in a standard environment, 2 year warranty against corrosion in normal usage conditions.

> Galvanising, hot dipped in a bath of zinc at 450° C, thickness 70µ. Used for the products with heavy usage (bicycle stands ...) or installed in a saline environment (seaside, roads which are heavily salted in winter ...), 10 year guarantee against corrosion in normal usage conditions.

All paint finishes use UV treated paint to ensure that PROCITY® can stand the tests of time keep their original colours.

PROCITY® is committed to continual improvement in its environmental performance and to demonstrate a strong sense of responsibility for people and the environment.



SUSTAINABLE DEVELOPMENT



Timber sourcing policy

Timber is an essential raw material in many PROCITY® products and is the only material available from a totally renewable resource. Our policy is demanding but consistent with our environmental commitments:

1 - We only source from PEFC or FSC certified suppliers committed to sustainable forest management;



2 - Where possible we favour primarily timber felled in France rather than imported wood, thus limiting the environmental impact of transport;

3 - Whenever possible, we guide our clients towards local timber rather than exotic timber or timber having undergone processing treatments;

4 - We favour the systematic use regional suppliers;

5 - From the species of wood available, we compare quality and durability and choose timber whose intrinsic qualities result in less waste when they are transformed into products.

Caring for and maintaining your stained wood furniture

As timber is a natural product, some slight splitting, cracking and/or other darkening may occur due to weathering or aging of the timber. To care for your furniture we recommend a regular reapplication of stains (every 18 to 24 months depending on exposure). This prevents the need to strip the wood back as well as helping it to maintain its desired shine and depth of colour.

Recycling

PROCITY® has established with its partners, a recycling process optimisation policy without sacrificing product quality:

- 25% recycled steel is to manufacture products.
- 100% of steel, aluminium, PVC and wood off cuts are recycled
- 100% of waste (oil, paint, etc..) are collected by specialised waste disposal



Social responsibility

Every product in the PROCITY® brand can have a real impact on the behaviour of the individual and how they interact with the environment around them. They encourage the use parks and green spaces, making them more attractive and comfortable places to be.



❖ MATERIALS AND NORMS

Steel

- Tubes and sheets comply with standards BS EN 10025 and BS EN 10027-1
- > Cast iron: our products use grey cast iron FT 25 GJL 250 or ductile cast iron GJS400-12, for an impact resistance of up to 6000J depending on the thickness of the cast.
 - > Stainless steel: complies with standards BS EN 10088 and BS EN 10027.

Aluminium

- > Notice boards: EN AW 6060 - BS EN 573-3.
- > Posts: BS EN AW 6160, BS EN AW 6060 and BS EN AW 6063 - BS EN 755-2.

Timber

- > The Oak (Quercus Robur: from FSC and PEFC certified sources in France where the growing of oak for commercial purposes is very established, and has always been controlled. Naturally durable, the Oak does not require preservative treatment.
- > Exotic woods: Missanda and Black Guarea (Dark Bossé) from forests are FSC certified sources – and felling has no impact on deforestation. Naturally durable, these species do not require preservative treatment. Their high density and excellent mechanical properties make them an ideal raw material.
- > Compact HPL: bonded with 100% waterproof glue with face veneers of kraft paper with a semi-opaque thermosetting resin-impregnated surface. The resin overlay resists abrasion and moisture penetration.

❖ PACKAGING

Special care is taken with packaging of products to prevent transport damage. Depending on the nature of the products, various materials are used: cardboard, banded on pallets, wooden crates, cloth sheaths, etc.

❖ PAINTED FINISHES

- > "Galvanised & painted" = galvanising + grinding + sanding + primer + UV protected polyurethane topcoat. Paint applied by a gun to 30 µ thick then baked at 80° C.
- > "Painted on zinc" = grinding + blasting + primary + zinc rich powder primer paint + UV protected polyester topcoat. Powder coating thickness 60 µ then baked at 180° C - 200° C.
- > "Stained wood" is finished with a coloured water based stain preserver with good fungicide & UV protection qualities: it permanently protects the wood from the weather and pollution.
- > "Painted wood" is finished with a colourless water based stain preserver + three coats of microporous coloured lacquer.


Standard colours for steel, aluminium and wood products



Colours for the Conviviale® collection



Stained Wood colours



6

❖❖ **COMFORT**

8

SEATS

20

BENCHES

24

CHAIRS

26

PICNIC TABLES

30

❖❖ **GREEN SPACES**

32

PLANTERS

40

HANGING BASKETS

42

TREE PROTECTION

44

PROTECTORS

46

❖❖ **CLEANLINESS**

48

LITTER BINS

58

WHEELIE BIN CONTAINERS

60

❖❖ **BICYCLE STANDS & SHELTERS**

62

BICYCLE STANDS

69

BICYCLE SHELTERS

74

❖❖ **ACCESS CONTROL**

76

ACCESS GATES

77

SELECTIVE GATES

78

RAILINGS

80


❖❖ **INFORMATION DISPLAY**

81

OUTDOOR NOTICE BOARDS

82

INFORMATION DISPLAY



S U M M A R Y

6 ✧ COMFORT

- 8 SEATS
- 20 BENCHES
- 24 CHAIRS
- 26 PICNIC TABLES

30 ✧ GREEN SPACES

46 ✧ CLEANLINESS

60 ✧ BICYCLE STANDS & SHELTERS

74 ✧ ACCESS CONTROL

80 ✧ INFORMATION DISPLAY



❖❖❖ COMFORT



1 2

SILAOS® SEATS

Very popular simple products, solid and stylish, to meet all your needs regardless of where they are used.

1 Silaos® Wood & Steel Seat

- > Available in two lengths: 1200 & 1800 mm.
- > Frame and armrests 30 x 50 mm steel tubes, painted on zinc primer in our RAL colours.
- > Seat and backrest in PEFC certified French oak, depth 36 mm.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Wood uses tamper-proof bolts. Mounted on base plates. Anchor bolts supplied.

2 Silaos® Assist Seat

The Assist chair is specially designed for the comfort of older or disabled people. The seat is raised by 10 cm and features a footrest and adapted armrests.

- > Same characteristics as however seat raised to 540 mm, painted on zinc primer in our RAL colours.

3 Silaos® Steel Seat

- > Same characteristics as above however seat and backrest in 3 mm gauge folded sheet steel, painted on zinc primer in our RAL colours.

Steel & Wood Seats			
	Length	Light oak stain	Mahogany stain
Without armrest	1200 mm	594000	594001
	1800 mm	594002	594003
Arc	1200 mm	594005	594006
	1800 mm	594007	594008
Classic	1200 mm	594015	594016
	1800 mm	594017	594018

Assist seats			
Classic	1200 mm	594115	594116
	1800 mm	594117	594118

Steel seats		
Without armrest	1200 mm	209080
	1800 mm	209081

1 594002



1 594018

594116 2



The seat is raised by 10 cm to assist sitting and standing.
Specially adapted ergonomic armrests and integrated foot rest.



Select the style of the armrest



Without armrest




Arc



Classic



3 209081



Product is shipped flat packed for self assembly.

1 2

RIGA SEAT

An affordable, extremely tough and hardwearing seat, simple yet functional. Available all wood or wood with a steel structure.

1 In Wood & Steel

- > Seat length: 2000 mm.
- > Structure in 80 x 8 mm steel tubes, painted on zinc primer, finished in RAL 9005 (black).
- > Seat and backrest in FSC certified exotic hard wood, depth 36 mm.
- > Wood finish: water based mahogany colour stain preserver.
- > Wood uses tamper-proof bolts. Anchor bolts supplied.


2 In Wood

- > Seat length: 2000 mm.
- > Structure in FSC certified exotic hard wood 90 x 70 mm.
- > Seat and backrest in FSC certified exotic hard wood, depth 36 mm.
- > Wood finish: water based mahogany colour stain preserver.
- > Anchor bolts supplied.




Wood & Steel Seat	
Length 2000 mm	209415

All Wood Seat	
Length 2000 mm	209442



Product is shipped assembled.



Product is shipped flat packed for self assembly.

3

MILAN SEAT


Contemporary seat specifically designed for comfort and a place to relax.

- > Seat length: 1500 mm
- > Cast steel structure painted on zinc primer, finished in our RAL colours.
- > Seat and backrest made of 18 mm compact HPL.
- > Wood finish: mahogany effect.
- > Mounted on base plates. Anchor bolts supplied.


Length 1500 mm

209439

3



3



Product is shipped assembled.

4

VERSAILLES SEAT


A refined design for timeless elegance, available in 1500 mm.

- > Seat length: 1500 mm.
- > Cast steel structure painted on zinc primer, finished in our RAL colours.
- > Seat and backrest made of 18 mm compact HPL.
- > Wood finish: mahogany effect.
- > Mounted on base plates. Anchor bolts supplied.

Length 1500 mm

209438

4



Product is shipped assembled.

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

PAGODA SEAT

Sturdy, this discreet seat will easily find its place in any environment to provide quality comfort.

- > Seat length: 2000 mm.
- > Frame 80 x 80 mm steel tubes painted with zinc primer, finished in our RAL colours.
- > Seat and backrest in 36 mm deep FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Wood uses tamper-proof bolts.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm - painted wood finish	299443
Length 2000 mm - stained wood finish	299444



2

HERITAGE SEAT


A traditional seat design offering remarkable comfort.

- > Seat length: 2000 mm.
- > Cast steel structure painted with zinc primer in RAL 9005.
- > 27 x 24 mm deep PEFC certified French oak.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm - painted wood finish	209436
Length 2000 mm - stained wood finish	209437




1



Product is shipped flat packed for self assembly.

2



Product is shipped assembled.

3


LOFOTEN SEAT

Simple and modern, eleven varnished mahogany slats held in an elegant cast steel frame. The first slat of the seat is wider and features apertures, adding identity to the Lofoten seat.

- > Seat length: 2000 mm.
- > Cast steel structure painted on zinc primer, finished in RAL 9005 or PROCITY® grey.
- > Stained 40 mm deep FSC certified exotic timber.
- > Wood finish: water based colour mahogany stain preserver.
- > To be concreted directly into the ground.

Length 2000 mm

209418



4

BARCELONA SEAT


Every town & public area wants something unique, to create its own character, something no one else has: prestige & notoriety.

PROCITY® engineers carried out much testing to have a better understanding of the human body and proportions to ensure absolute comfort in a stylish and innovative design.


- > Seat length: 2000 mm.
- > Cast steel structure painted with zinc primer, finished in RAL 9005 or PROCITY® grey.
- > 60 mm deep PEFC certified French oak.
- > Mounted on base plates. Anchor bolts supplied.
- > Wood finish: water based colour mahogany stain preserver.

Length 2000 mm

209417



Product is shipped assembled.



Product is shipped assembled.

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1 2

OSLO SEAT

A discreet and timeless design, two materials and two variants of lengths.

1 All Steel

- > Seat lengths: 1500 or 1800 mm.
- > Steel tube pedestal legs: Ø 76 mm.
- > Seat and backrest made of 2.5mm perforated sheet steel.
- > Rounded ends and edges for security.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.
- > Optional base covers to mask fixing available.


2 Wood & Steel

- > Same structure characteristics.
- > 36 mm deep PEFC certified French oak, rounded ends and edges to prevent splintering.
- > Wood finish: water based light oak colour stain preserver.

Length 1500 mm - all steel	209120
Length 1500 mm - wood & steel	209400
Length 1800 mm - all steel	209121
Length 1800 mm - wood & steel	209401
Optional base covers	206108



2



Product is shipped flat packed for self assembly.

3


AUBEL SEAT

A robust and elegant cast structure that ensures excellent comfort.

- > Seat length: 2000 mm.
- > Cast steel structure painted with zinc primer, finished in black (RAL 9005).
- > 36mm deep PEFC certified French oak.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm

209445



Product is shipped flat packed for self assembly.

4

VERCORS SEAT

Extremely strong and with a rounded design, extra-wide wooden slats, a seat that meets all your needs. Complements the Vercors litter bin and bicycle stand.

- > Seat length: 2000 mm.
- > Frame Ø 60mm steel tubes painted with zinc primer, finished in our RAL colours.
- > Seat and backrest in 36mm deep FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Wood uses tamper-proof bolts.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm - painted wood finish	299446
Length 2000 mm - stained wood finish	299435



Product is shipped flat packed for self assembly.


5

CONVIVIALE® SEAT

Made completely of steel, resistant to inclement weather conditions & acts of vandalism, the CONVIVIALE® seat offers a long life span without the need for regular maintenance.

- > Total length: 2000 mm & seat length: 1840 mm.
- > 40 x 40 mm steel tubing.
- > Perforated 2mm sheet steel seat and backrest.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

Length 2000 mm	209020
----------------	---------------



Product is shipped assembled.

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1


MERCURE SEAT

A bench suited for the rigors of the environment. Structure in galvanised steel for maximum anti-corrosion protection.

- > Seat length: 1480 mm.
- > Steel tube pedestal legs: Ø 76 mm.
- > Seat and backrest made of 2.5 mm perforated sheet steel.
- > No sharp edges or angles.
- > Frame is galvanised.
- > Seat, backrest and aluminium top caps painted with zinc primer, finished in black (RAL 9005).
- > To be concreted directly into the ground.

Length 1500 mm

209145



Product is shipped flat packed for self assembly.

2 & 3

PARIS SEAT

All the charm of Paris with the single and double sided seat. An invitation to travel in history! The back rest is trapezoidal in shape adding to the image of quality of the product.

2 Single sided

- > Seat length: 2000 mm.
- > Cast steel structure, painted with zinc primer, finished in black (RAL 9005).
- > 45 mm deep PEFC certified French oak.
- > Wood finish: lacquered in our RAL colours.
- > Mounted on base plates. Anchor bolts supplied.

3 Double sided


- > Same characteristics as the single sided seat however with a different & wider cast and second seat.

Length 2000 mm - single sided

209447

Length 2000 mm - double sided

209449



Product is shipped assembled.

4

LUGANO SEAT Ø 76 mm

Simplicity and strength are the main characteristics of the all-steel seat, available in two lengths and a choice of four decorative top caps.

- > Seat length: 1500 or 1800 mm.
- > Steel tube pedestal legs Ø 76 mm.
- > Choice of 4 top caps.
- > Seat and backrest made of 2.5 mm perforated sheet steel.
- > No sharp edges or angles.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.



Top cap:	City	Agora	Sphere	Forum
Length 1500 mm	209300	209301	209302	209303
Length 1800 mm	209310	209311	209312	209313

5


ESTORIL SEAT Ø 76 mm

A steel seat known for its robustness and curves with a choice of four decorative top caps.


- > Seat length: 1800 mm.
- > Steel tube pedestal legs Ø 76 mm.
- > Choice of 4 top caps.
- > Seat and backrest made of 2.5 mm perforated sheet steel, encircled by a Ø 38 mm steel tube.
- > No sharp edges or angles.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.



Top cap:	City	Agora	Sphere	Forum
Codes	209320	209321	209322	209323



Product is shipped flat packed for self assembly.



Product is shipped flat packed for self assembly.

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

LUBLIN SEAT

The elegance of ten slats and the remarkable strength of the robust cast make this bench a reference in parks and gardens.

- > Seat length: 2000 mm.
- > Cast steel structure, painted with zinc primer, finished in metallic grey.
- > Seat and backrest in 40 mm PEFC certified French oak.
- > Squareness provided by three stainless steel rods to the rear of the bench.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm

209484

2

MORA SEAT

A very popular seat using a cast structure featuring five PEFC certified oak planks 38 mm in thickness.

- > Seat length: 2000 mm.
- > Cast steel structure, painted with zinc primer, finished in metallic grey.
- > Seat and backrest in 38 mm PEFC certified French oak.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm

209480

3

LUTON SEAT

A contemporary steel & wooden seat. An economic & robust solution to public seating needs featuring a steel bolt down structure.

- > Seat length: 2000 mm.
- > Steel structure 80 x 8 mm, zinc primer with finish in black (RAL 9005).
- > Seat and backrest in 36 mm deep class 4 pine.
- > Wood finish: water based colour stain preserver mahogany.
- > Wood uses tamper-proof bolts.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm

209414




2




3



Product is shipped assembled.



Product is shipped flat packed for self assembly.



Product is shipped flat packed for self assembly.


4

MORA NURSERY SEAT

A colourful and sturdy seat, for the greatest happiness of the youngest of children.

- > Seat length: 1500 mm.
- > Seat height: 270 mm.
- > Cast steel structure, painted with zinc primer, finished in RAL 3020 (red), RAL 1023 (yellow), RAL 6018 (green), RAL 5010 (blue).
- > Seat and backrest in FSC certified exotic hard wood.
- > Wood finish: lacquered in a single colour or multi-colour.
- > Mounted on base plates. Anchor bolts supplied.

Length 1500 mm - Multi-colour	299010
Length 1500 mm - Single colour	299011



Product is shipped flat packed for self assembly.

5

NURSERY & JUNIOR SILAOS® SEAT

Conceived to provide seating at the correct height for two groups of young children.


- > Seat length: 1500 mm.
- > Seat heights:
 - Nursery school version: 270 mm.
 - Primary school version: 390 mm.
- > Steel structure, painted with zinc primer, finished in RAL 3020 (red), RAL 1023 (yellow), RAL 6018 (green), RAL 5010 (blue).
- > Seat and backrest in FSC certified exotic hard wood.
- > Nursery school version: 4 slats.
- > Primary school version: 6 slats.
- > Wood finish: lacquered in a single colour or multi-colour.
- > Mounted on base plates. Anchor bolts supplied.

Nursery school version	
Seat height 270mm - Multi-colour	299002
Seat height 270mm - Single colour	299003

Primary school version	
Seat height 390mm - Multi-colour	299000
Seat height 390mm - Single colour	299001



5 Primary school version



Product is shipped flat packed for self assembly.

1 2

SILAOS® BENCHES

All steel, or wood & steel featuring PEFC oak, Silaos® benches offer a simple and ecological seating solution.

1 Silaos® Wood & Steel benches

- > Available in two lengths: 1200 & 1800 mm.
- > Frame in 30 x 50mm steel tubes, painted on zinc primer in our RAL colours.
- > Seat in PEFC certified French oak, depth 36 mm.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Wood uses tamper-proof bolts. Mounted on base plates. Anchor bolts supplied.

2 Silaos® Steel bench

- > Same characteristics as however seat in 3 mm gauge folded sheet steel, painted on zinc primer in our RAL colours.

Wood & steel benches		
Length	Light oak finish	Mahogany finish
1200 mm	594031	594032
1800 mm	594033	594034

Steel benches	
1200 mm	209182
1800 mm	209183



3 4

RIGA BENCHES

Sleek and sturdy for a moment of comfort.

3 In Wood & Steel

- > Seat length: 2000 mm.
- > Structure in 80 x 8 mm steel tubes, painted on zinc primer, finished in RAL 9005 (black).
- > Seat in FSC certified exotic hard wood, depth 36 mm.
- > Wood finish: water based mahogany colour stain preserver.
- > Wood uses tamper-proof bolts. Anchor bolts supplied.

4 In Wood

- > Seat length: 2000 mm.
- > Structure in FSC certified exotic hard wood 93 x 93 mm.
- > Seat in FSC certified exotic hard wood, depth 36 mm.
- > Wood finish: water based mahogany colour stain preserver.
- > Anchor bolts supplied.

Length 2000 mm - Wood & Steel	209186
-------------------------------	--------

Length 2000 mm - Wood	209185
-----------------------	--------



5

PAGODA BENCH

The Pagoda bench is a complement to the Pagoda seat, creating harmony in green space planning.

- > Seat length: 2000 mm.
- > Frame 80 x 80 mm steel tubes painted with zinc primer, finished in our RAL colours.
- > Seat in 36 mm deep FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Wood uses tamper-proof bolts.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm painted wood finish	299187
------------------------------------	---------------

Length 2000 mm stained wood finish	299193
------------------------------------	---------------

5



6 7

OSLO BENCHES

Oslo comfort with a minimum space requirement in steel & wood or steel.

6 Wood & steel

- > Seat length: 1500 mm.
- > Steel tube pedestal legs: Ø 76 mm.
- > Steel painted with zinc primer, finished in our RAL colours.
- > 36 mm deep PEFC certified French oak, rounded ends and edges to prevent splintering.
- > Wood finish: water based light oak colour stain preserver.
- > To be concreted directly into the ground.
- > Optional base covers to mask fixing available.

7 All Steel

- > Same structure characteristics as above.
- > Seat made of 2.5 mm perforated sheet steel.
- > Rounded ends and edges for security.
- > Steel painted with zinc primer, finished in our RAL colours.

Length 1500 mm - wood & steel	209188
-------------------------------	---------------

Length 1500 mm - all steel	209160
----------------------------	---------------

Optional base covers	206108
----------------------	---------------



7



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

LUGANO BENCH Ø 76 mm

Pressed steel seat with a choice of four decorative top caps.

- > Seat length: 1500 mm.
- > Steel tube pedestal legs Ø 76 mm.
- > Choice of 4 top caps.
- > Seat made of 2.5 mm perforated sheet steel.
- > No sharp edges or angles.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.



Top cap:	City	Agora	Sphere	Forum
Codes	209330	209331	209332	209333

2


ESTORIL BENCH Ø 76 mm

A reinforced steel bench without sacrificing the elegance of decorative top caps.

- > Seat length: 1800 mm.
- > Steel tube pedestal legs Ø 76 mm.
- > Choice of 4 top caps.
- > Seat and backrest made of 2.5 mm perforated sheet steel, encircled by a Ø 38 mm steel tube.
- > No sharp edges or angles.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.



Top cap:	City	Agora	Sphere	Forum
Codes	209340	209341	209342	209343



3

VERCORS BENCH

The only PROCITY® bench with armrests.

- > Seat length: 2000 mm.
- > Frame Ø 60 mm steel tubes painted with zinc primer, finished in our RAL colours.
- > Seat and backrest in 36 mm deep FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Wood uses tamper-proof bolts.
- > Mounted on base plates. Anchor bolts supplied.

Length 2000 mm painted wood finish	299189
------------------------------------	---------------

Length 2000 mm stained wood finish	299181
------------------------------------	---------------

4

CONVIVIALE® BENCH

A comfortable bench featuring the characteristic Conviviale® design & cantilevered overhanging seat.

- > Total length: 2000 mm & seat length: 1840 mm.
- > 40 x 40 mm steel tubing.
- > Perforated 2 mm sheet steel seat.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

Length 2000 mm - All steel	209050
----------------------------	---------------



CONVIVIALE®
top cap



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY


1

MILAN CHAIR

Contemporary elegance for this chair of unrivalled comfort.

- > Seat length: 600 mm.
- > Seat height: 395 mm.
- > Cast steel structure painted on zinc primer, finished in our RAL colours.
- > Seat and backrest made of 18 mm compact HPL.
- > Wood finish: mahogany effect.
- > Mounted on base plates. Anchor bolts supplied.

Length 600 mm

209470

Product is shipped assembled.


2

VERSAILLES CHAIR

A classic design, a very comfortable seat, chair of unusual distinction.

- > Length: 600 mm.
- > Cast steel structure painted on zinc primer, finished in our RAL colours.
- > Seat and backrest made of 18 mm compact HPL.
- > Wood finish: mahogany effect.

Length 600 mm

209471

Product is shipped assembled.



3 to 5

SILAOS® CHAIRS & LOUNGER

Individual comfort in public places in wood & steel.

3 Wood & steel chair

- > Length: 600 mm.
- > Frame and armrests 30 x 50 mm steel tubes, painted on zinc primer in our RAL colours.
- > Seat and backrest in PEFC certified French oak, depth 36 mm.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Wood uses tamper-proof bolts. Mounted on base plates. Anchor bolts supplied.

	Light oak stain	Mahogany stain
 Arc armrest	594100	594101
 Classic armrest	594106	594107



4 Silaos® Assist chair

The Assist chair is specially designed for the comfort of older or disabled people. The seat is raised by 10 cm and features a footrest and adapted armrests.

- > Same characteristics as however seat raised to 540 mm, with foot rest 50 x 30 mm.

	Light oak stain	Mahogany stain
Classic armrest	594108	594109



5 Silaos® Lounger

- > Same characteristics as above however seat length 1265 mm, lounger height 340 mm.

	Light oak stain	Mahogany stain
Length 1200 mm	594110	594111



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1 / 2

SILAOS® PICNIC TABLE SET

A full Silaos® range in oak in a variety of finishes and sizes to meet all requirements to furnish picnic areas.

Common characteristics:

- > Frame in 30 x 50 mm steel tubes, painted on zinc primer in our RAL colours.
- > PEFC certified French oak, depth 36 mm.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Wood uses tamper-proof bolts. Mounted on base plates. Anchor bolts supplied.
- > Product is shipped flat packed for self assembly.

Range of products:

- > Seats: Wood & steel or all steel (see page 8).
- > Benches: Wood & steel or all steel (see page 20).
- > Chairs: Wood & steel or all steel (see page 24).
- > Assist chair (see page 24).
- > Low Table: 4 oak slats, height 500 mm, length 1200 mm.
- > Picnic Table: 6 oak slats, height 750 mm, length 1800 mm.

	Light oak stain	Mahogany stain
1 Low table	594120	594121
2 Picnic table	209460	209464



CÔME PICNIC TABLE SET

A high quality handmade picnic table and bench set. Manufactured from the finest materials & uniquely crafted with the finest attention to detail. A very clean design, the Côme is elegant & modern.

Common characteristics:

- > FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Anchor bolts supplied.
- > Product is shipped assembled.

Products available:

- > Côme Table: length 1800 mm, width 810 mm, height 760 mm.
- > Côme Bench: length 1800 mm, width 300 mm, height 450 mm.

Table + 2 benches	209462
Table only	209465
Bench only	209466



1

RIGA PICNIC TABLE


A comfortable picnic table for four people, featuring backrests. Also available in disabled access version with an extended table for easy wheelchair access.

- > Standard version: length 1500 mm, width 1300 mm, height 750 mm.
- > Disabled access version: length 2000 mm, width 1300 mm, height 750 mm.
- > Structure in steel tubes, painted on zinc primer, finished in RAL 9005 (black).
- > Seat and backrest made of 18 mm compact HPL.
- > Wood finish: mahogany effect.
- > Anchor bolts supplied.


Riga - Standard version	209461
Riga - Disabled access version	209463



209463
Disabled access version



Product is shipped flat packed for self assembly.



Product is shipped flat packed for self assembly.

2

SEVILLE PICNIC TABLE

A robust oversized picnic table. Also available in disabled access version for easy wheelchair access.

- > Standard version: length 2000 mm, width 1320 mm, height 750 mm.
- > Disabled access version: length 2000 mm, width 1320 mm, height 750 mm.
- > Cast steel structure, painted with zinc primer, finished in RAL 9005 (black).
- > Seat and table in 36 mm deep FSC certified exotic hard wood.
- > Wood finish: water based colour stain preserver in light oak or mahogany or lacquered in our RAL colours.
- > Mounted on base plates. Anchor bolts supplied.

Seville - Standard version	209468
Seville - Disabled access version	209469

3

CHILDREN'S PICNIC TABLE

A fun place for little children to have a picnic.

- > Dimensions: 1500 x 1500 mm.
- > Seat heights:
 - Nursery school version: 290 mm.
 - Primary school version: 390 mm.
- > Whole product in FSC certified exotic hard wood with a lacquered finish RAL 3020 (red), RAL 1023 (yellow), RAL 6018 (green), RAL 5010 (blue).
- > Anchor bolts supplied.


Nursery school version	
Seat height 290mm - Multi-colour	208080
Seat height 290mm - Single colour	208081

Primary school version	
Seat height 390mm - Multi-colour	208085
Seat height 390mm - Single colour	208086

2 209468




209469
Disabled access version




Product is shipped flat packed for self assembly.

3



208080



Product is shipped assembled.

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

S U M M A R Y

6 ❖❖ COMFORT

30 ❖❖ GREEN SPACES

32 PLANTERS

40 HANGING BASKETS

42 TREE PROTECTION

44 PROTECTORS

46 ❖❖ CLEANLINESS

60 ❖❖ BICYCLE STANDS & SHELTERS

74 ❖❖ ACCESS CONTROL

80 ❖❖ INFORMATION DISPLAY



❖❖❖ *GREEN SPACES*



1

PROVINCE PLANTERS

A classic design, in 100% steel offering the choice of 4 decorative top caps and link bench.

- > Tubular Ø 7 mm corner posts.
- > Cladding in galvanised sheet steel.
- > Choice of 4 top caps.
- > Available in 3 versions:
 - Interior in galvanised steel sheet
 - Internal polyester resin planter
 - Removable internal polyester resin planter with inserts
- > Screw jacks at base of posts for level adjustment in case of an uneven surface.

Finish & assembly

- > Finish: galvanised then painted, available in our RAL colours.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

Optional - Estoril bench to link planters





Especially designed for using our planters to create the geometric pattern of your choice.

Benches include fittings to attach them to the planters.

- > Made of 2 mm perforated sheet steel, framed with a decorative steel tube.
- > Steel is zinc primed and finished in our RAL colours.

Estoril bench length 1800 mm

201300

	Length x Width x Height (mm)	Version			Water reservoir
		Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
 City	800 x 800 x 750	201260	201510	201520	201606
	1000 x 500 x 750	201255	201511	201521	201607
 Agora	800 x 800 x 750	201250	201512	201522	201606
	1000 x 500 x 750	201256	201513	201523	201607
 Sphere	800 x 800 x 750	201251	201514	201524	201606
	1000 x 500 x 750	201257	201515	201525	201607
 Forum	800 x 800 x 750	201264	201516	201526	201606
	1000 x 500 x 750	201259	201517	201527	201607

Optional lifting rings

201291



201260 + 201300

SARLAT PLANTERS

The perfect combination of two materials brings the refinement green spaces deserve.

Structure

- > Steel structure.
- > Cladding panels made in PEFC certified French oak.
- > Available in 3 versions:
 - Interior in galvanised steel sheet
 - Internal polyester resin planter
 - Removable internal polyester resin planter with inserts
- > Screw jacks at base of posts for level adjustment in case of an uneven surface.

Finish

- > Steel painted with zinc primer and finished in our RAL colours.
- > Wood is preserved and protected by mahogany coloured water based stain preserver.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

Length x Width x Height (mm)	Version			Water reservoir
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
650 x 650 x 700	201276	201170	201174	201600
900 x 900 x 800	201277	201171	201175	201601
1050 x 1050 x 1050	201278	201172	201176	201602
1250 x 1250 x 1150	201279	201173	201177	201603
Optional lifting rings			201291	



201173

1

VENICE PLANTERS

A planter with a contemporary design to give a highly distinctive and modern identity to green spaces.

Structure

- > Steel structure.
- > Plasma cut cladding in 2 to 4 mm galvanised sheet steel.
- > Available in 3 versions:
 - Interior in galvanised steel sheet
 - Internal polyester resin planter
 - Removable internal polyester resin planter with inserts
- > Screw jacks at base of posts for level adjustment in case of an uneven surface.

Finish & assembly

- > Finish: galvanised then painted available in our RAL colours.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

Length x Width x Height (mm)	Version			Water reservoir
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
800 x 800 x 600	201270	201190	201191	201235
1000 x 1000 x 800	201271	201192	201193	201236
1200 x 1200 x 900	201269	201194	201195	201237
Optional lifting rings			201291	

2

SILAOS® PLANTERS

The spirit of Silaos® design in a steel planter to harmonise the development of your green spaces.

Structure

- > Same characteristics as the Venice planter.

Finish & assembly

- > Finish: galvanised then painted available in our RAL colours.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

Length x Width x Height (mm)	Version			Water reservoir
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
800 x 800 x 600	201272	201500	201501	201235
1000 x 1000 x 800	201273	201502	201503	201236
1200 x 1200 x 900	201240	201504	201505	201237
Optional lifting rings			201291	

2



201505



201192

GALVANISED

3

ORSAY PLANTER

The design of the sheet metal and the round form of this planter makes it particularly attractive and robust.

- > Galvanised steel structure.
- > Plasma cut cladding in 1mm galvanised sheet steel.
- > Available in 3 versions:
 - Interior in galvanised steel sheet
 - Internal polyester resin planter
 - Removable internal polyester resin planter with inserts.

Finish & assembly

- > Finish: galvanised then painted available in our RAL colours.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

Dia x H (mm)	Version			Water reservoir
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
Ø 950 x H 700	201274	201440	201441	201238

Optional lifting rings

201291

4

OLBIA PLANTERS

At home in hotel grounds or pedestrian streets, the Olbia fits perfectly in contemporary and classic environments.

Structure

- > Same characteristics as the Venice planter.

Finish & assembly

- > Finish: galvanised then painted available in our RAL colours.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.
- > Angled planter bench (same characteristics as the Riga bench, see page 20) complements each Olbia planter.

Length x Width x Height (mm)	Version			Water reservoir	Angled planter bench
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter		
800 x 800 x 600	201275	201540	201543	201235	209190
1000 x 1000 x 800	201288	201541	201544	201236	209191
1200 x 1200 x 900	201289	201542	201545	201237	209192

Optional lifting rings

201291



201544 + 209191

3



201274

4



201542

1

BREST PLANTERS

A 100% wooden planter of resolutely classical design. With a decorative Sphere top cap and in many dimensions, it offers you a thousand ways to liven up your landscaped areas.

Structure

- > Frame made of FSC certified hard wood.
- > Cladding panels made of FSC certified hard wood.
- > Sphere wooden top cap.
- > Available in 3 versions:

- Interior in galvanised steel sheet
- Internal polyester resin planter
- Removable internal polyester resin planter with inserts.

- > Screw jacks at base of posts for level adjustment in case of an uneven surface.

Finish

- > Wood is preserved and protected by three coats of mahogany coloured water based stain preserver or three coats of microspores lacquer in our RAL colours.

- > Product is shipped assembled.


Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.

	Version Length x Width x Height (mm)	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	Water reservoir
Stained Finish	850 x 850 x 800	201282	201376	201380	201617
	1050 x 1050 x 1050	201284	201165	201388	201618
	1200 x 850 x 800	201404	201408	201412	201620
	1200 x 1200 x 1000	201286	201167	201420	201621
	2000 x 1050 x 1000	201424	201428	201432	201622
Lacquered Finish	850 x 850 x 800	201373	201377	201381	201617
	1050 x 1050 x 1050	201383	201385	201389	201618
	1200 x 850 x 800	201405	201409	201413	201620
	1200 x 1200 x 1000	201415	201417	201421	201621
	2000 x 1050 x 1000	201425	201429	201433	201622
Optional lifting rings				201291	



201421



Removable internal
polyester resin planter
with inserts & lifting rings.



1

PORTO PLANTERS

Porto planters are discreet and modular, adding value to flowers and shrubs they hold. Many sizes are available allowing decorative combinations.

Structure

- > Galvanised steel structure.
- > Cladding panels made of FSC certified hard wood.
- > Available in 3 versions:
 - Interior in galvanised steel sheet
 - Internal polyester resin planter
 - Removable internal polyester resin planter with inserts
- > Screw jacks at base of posts for level adjustment in case of an uneven surface.

Finish

- > Wood is preserved and protected by mahogany coloured water based stain preserver.
- > Product is shipped assembled.

Options

- > Water reservoir in geotextile (incompatible with galvanised interior version).
- > Lifting rings for use with the inserts in the internal removable polyester resin planter.


Length x Width x Height (mm)	Version			Water reservoir
	Galvanised sheet interior	Internal polyester planter	Removable internal polyester planter	
■ 500 x 500 x 400	201452	201296	201453	201626
■ 600 x 600 x 500	201454	201455	201456	201627
■ 950 x 420 x 400	201460	201297	201461	201629
■ 950 x 950 x 600	201462	201463	201464	201630
■ 1100 x 600 x 550	201465	201466	201467	201631
■ 1200 x 1200 x 600	201468	201469	201470	201632
● Ø 700 x 550	201474	201298	201475	201633
● Ø 1100 x 550	201476	201477	201478	201634
Optional lifting rings			201291	



Removable internal polyester resin planter with inserts & lifting rings.



201454



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1 to 4

WALL MOUNTED HANGING BASKETS

Two simple solutions, both economical and functional to decorate and brighten façades and streets with the hanging of planters.

Bracket

- > Ø 60 mm steel tube painted on zinc in our RAL colours.
- > Fixed using wall mounting brackets (bolts not supplied).

	Dim. (mm) Width x length	Code
1 Rounded bracket	660 x 800	201310
2 Straight bracket	660 x 770	201311


Hanging baskets

- > Polyester planters.
- > Available in green (RAL 6029) or ivory (RAL 1015).
- > Resistant against UV light, heat and frost.
- > Quick and easy to clean.
- > Chain supplied.

Options

- > Water reservoir in geotextile.

	Dim. (mm) Ø x height	Volume (litres)	Code	Water reservoir
3 Single basket	500 x 230	20	201315	201640
	600 x 230	35	201316	201641
4 Double Basket	500 x 230 + 600 x 230	20 + 35	201318	201640 + 201641



5 6

POST MOUNTED HANGING BASKETS

Post

- > Ø 76 mm steel post, galvanised then painted in RAL 6005.
- > 4 m total height.
- > To be concreted directly into the ground.

5 Ø 76 mm post RAL 6005

209250

Baskets

- > Polyester planters.
- > Available in green (RAL 6029) or ivory (RAL 1015).
- > Resistant against UV light, heat and frost.
- > Quick and easy to clean.
- > Fixings supplied.

Options

- > Water reservoir in geotextile.

		Dim. (mm) Ø x height	Volume (litres)	Code	Water reservoir
6 Round baskets	1 side only	500 x 230	20	201320	201640
		600 x 230	35	201321	201641
	2 sides	500 x 230	2 x 20	201322	201640
		600 x 230	2 x 35	201323	201641



7

SEMICIRCULAR BASKETS

- > Polyester planters
- > Available in green (RAL 6029) or ivory (RAL 1015).
- > Resistant against UV light, heat and frost.
- > Quick and easy to clean.

Options

- > Water reservoir in geotextile.
- > Pair of galvanised railing fixing brackets, consult us.

	Length x Width x Height (mm)	Volume (litres)	Code	Water reservoir
Semicircular basket	700 x 430 x 230	24	201324	201642
	800 x 430 x 230	27	201325	201643

Railing fixing brackets	201335
-------------------------	--------



8

PLANTERS FOR RAILINGS

Brighten streets by transforming railings into planter supports. Two of the most common sized planters, designed to be installed on all PROCITY® decorative railings (except mesh versions).

- > Polyester planters.
- > Available in green (RAL 6029) or ivory (RAL 1015).
- > Resistant against UV light, heat and frost.
- > Quick and easy to clean.

Options

- > Water reservoir in geotextile
- > Pair of galvanised railing fixing brackets.

	Length x Width x Height (mm)	Volume (litres)	Code	Water reservoir
Planter version 1	800 x 300 x 260	30	201330	201644
Planter version 2	1000 x 300 x 260	38	201331	201645

Railing fixing brackets	201335
-------------------------	--------



9

VENICE SCULPTURE

Create a focal point in a green space, featuring a hanging basket.

- > Height above ground: 2700 mm.
- > Width: 600 mm.
- > Plasma decorative 3mm galvanised sheet steel with internal 70 x 70 mm reinforcement posts.
- > Finish: galvanised then painted in our RAL colours.
- > To be concreted directly into the ground.

Options

- > Ø 700 mm semicircular basket.

Venice sculpture	207928
------------------	--------

Optional basket	201324
-----------------	--------



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS & SHELTERS

ACCESS CONTROL


INFORMATION DISPLAY

1 2**Ø 250 mm TREE GUARD**

Comprised of 3 hoops, flower-shaped at top, held together by 3 circular steel flat cross members, attached by 3 locking nuts (supplied).

- > Rests on the ground.
- > Finish: galvanised or galvanised then painted available in our RAL colours.



	Galvanised	Painted
1 Guard Ø 250 x H 1500 mm	201124	201134
2 Guard Ø 250 x H 1870 mm	201121	201131

**3 4****Ø 450 mm TREE GUARD**

Comprised of two parts, each having 2 hoops, flower shaped at top, held together by steel flat cross members, attached by locking nuts (supplied).

- > Rests on the ground.
- > Finish: galvanised or galvanised then painted available in our RAL colours.

	Galvanised	Painted
3 Guard Ø 450 x H 1500 mm	201125	201135
4 Guard Ø 450 x H 1870 mm	201122	201132

**GALVANISED**

5

SILAOS® TREE GRILLE


Choose a galvanised steel tree grille: they are much less fragile and more robust than the cast iron tree grilles.

The angular design of these tree grilles. Round or rectangular tree grilles cut from 10 mm solid sheet steel. Made in two pieces to be fastened together around the tree.

- > Rests directly on the ground.
- > Finish: galvanised or galvanised then painted available in our RAL colours.
- > Recommended optional galvanised sub fitting support frame in four parts with fixing plates for the grilles to rest upon.

	Galvanised	Painted
Round tree grilles Ø 1000 mm	201205	201215
Round tree grilles Ø 1300 mm	201206	201216
Square tree grilles 1000 x 1000 mm	201207	201217
Square tree grilles 1300 x 1300 mm	201208	201218

Round sub fitting support frame Ø 1000 mm	201230
Round sub fitting support frame Ø 1300 mm	201231
Square sub fitting support frame 1000 x 1000 mm	201232
Square sub fitting support frame 1300 x 1300 mm	201233



6


VENICE TREE GRILLE

A contemporary design of tree grille, strong and attractive.

> Same characteristics as Silaos® tree grille.

	Galvanised	Painted
Round tree grilles Ø 1000 mm	201081	201181
Round tree grilles Ø 1300 mm	201082	201182
Square tree grilles 1000 x 1000 mm	201083	201183
Square tree grilles 1300 x 1300 mm	201084	201184

Round sub fitting support frame Ø 1000 mm	201230
Round sub fitting support frame Ø 1300 mm	201231
Square sub fitting support frame 1000 x 1000 mm	201232
Square sub fitting support frame 1300 x 1300 mm	201233



GALVANISED



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

DECORATIVE PROTECTIVE BARRIER

Ideal for the protection of street & park furniture, shop fronts, trees (as a pair), notice boards, and to protect from mowing.

- > Protection bar fitted with welded steel end caps on two slightly curved supports.
- > Made of Ø 60 mm steel tube, galvanised or galvanised then painted finish in our RAL colours.
- > To be concreted directly into the ground.

Galvanised	201040
Painted	201041



2 3

INTERLOCKING PROTECTOR



Completely surrounds and protects the object (tree, post, machine, etc.).

- > Steel tube: Ø 60 mm, galvanised or galvanised then painted available in our RAL colours.
- > To be interlocked then concreted directly into the ground.

	Galvanised	Painted
2 700 x 700 mm	201008	201009
3 1200 x 1200 mm	201010	201011



Optional base plates



4

PERIMETER BARRIER

A simple and effective solution to delineate and protect spaces. Available in three lengths of Ø 60 mm steel tube (1000, 1500 and 2000 mm).

- > Finish: galvanised or galvanised then painted finish in our RAL colours.
- > To be concreted directly into the ground.

	Galvanised	Painted
L 1000 mm	204100	204150
L 1500 mm	204101	204151
L 2000 mm	204102	204152

4



GALVANISED

4



5 6

WOODEN OR STEEL PARKING STOPS

Elegantly allows the demarcation of the extremities of a car park and prevents vehicles from hitting obstructions such as walls.

5 All Steel

- > Length: 1800 mm.
- > Height above ground: 120 mm.
- > Made of steel tube Ø 76 mm galvanised or galvanised then painted finish in our RAL colours.
- > Fixing on plate, ground fixing rods supplied.

6 All Wood

- > Length: 1800 mm.
- > Height above ground: 130 mm.
- > Made from FSC certified tropical hard wood 93 x 93 mm stained finish (light oak or mahogany).
- > Fixing on plate, ground fixing rods supplied.

Parking stop in steel - galva finish	207909
--------------------------------------	---------------

Parking stop in steel - painted finish	207910
--	---------------

Parking stop in wood	207911
----------------------	---------------


5



5



6



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

S U M M A R Y

6 ❖❖ COMFORT

30 ❖❖ GREEN SPACES

46 ❖❖ CLEANLINESS

48 LITTER BINS

58 WHEELIE BIN CONTAINERS

60 ❖❖ BICYCLE SHELTERS & STANDS

74 ❖❖ ACCESS CONTROL

80 ❖❖ INFORMATION DISPLAY



❖❖❖ *CLEANLINESS*



1 to 3**COLOGNE LITTER BINS
60, 35 & 30 LITRES**

Litter bins with elegant simplicity for all purposes. The semicircular litter bin is available in two versions, for floor or wall mounting.

1 Circular 60 litres

- > Capacity: 60 litres.
- > Dimensions: Ø 460 x H 640 mm.
- > Litter bin in PEFC certified French oak, depth 22 mm.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Internal bucket supplied.
- > To be concreted directly into the ground. Anchor bolts supplied.

2 Semicircular 30 litres

- > Dimensions: Ø 510 x H 600 mm.
- > Internal bucket supplied.
- > Capacity: 30 litres.

3 Junior 35 litres

- > Dimensions: Ø 370 x 590 mm.
- > FSC certified exotic hard wood slats.
- > Wood finish: lacquered in a single colour or multi-colour (RAL red 3020, yellow 1023, green 6018, blue 5010).
- > Internal bucket supplied.
- > Capacity: 35 litres.

Circular	
60 litres	208063
Semicircular	
30 litres - floor mounting	208062
30 litres - wall mounting	208064
Junior	
35 litres Junior - Single colour	208070
35 litres Junior - Multi-colour	208071

1**3****4****BARCELONA LITTER BIN
60 LITRES**

A litter bin on a central base featuring double aluminium crowns.

- > Capacity: 60 litres.
- > Dimensions: Ø 460 x 860 mm.
- > Litter bin in PEFC certified French oak, depth 22 mm.
- > Steel tube pedestal legs Ø 76 mm painted with zinc primer, finished in RAL 7044.
- > Aluminium upper & lower crowns in RAL 7044.
- > Internal bucket supplied.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > To be concreted directly into the ground.

60 litres

Ref. 208066

4**2**

5 to 8

SILAOS® LITTER BINS 30 & 50 LITRES

A range of litter bins designed in an eco-responsible Silaos® spirit, (PEFC certified oak, water based stain wood preserver, recycled steel), complements all Silaos® seats & benches.

5 to 7 Wood & steel litter bin

- > Capacity: 30 or 50 litres.
- > Litter bin in PEFC certified French oak, depth 22 mm.
- > Structure in steel, painted with zinc primer, finished in our RAL colours.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Available with or without hinged lid.
- > To be concreted directly into the ground.

8 All steel litter bin

- > Capacity: 50 litres.
- > Plasma cut steel body.
- > Structure in steel, painted with zinc primer, finished in our RAL colours.
- > Available with or without hinged lid.
- > To be concreted directly into the ground.

Wood & steel litter bins			
	Capacity	Light oak finish	Mahogany finish
Without lid			
D 460 x W 270 x H 725 mm	30 litres	594130	594131
D 395 x W 395 x H 680 mm	50 litres	594134	594135
With lid			
D 395 x W 395 x H 680 mm	50 litres	594136	594137
Tipping version			
D 460 x W 270 x H 870 mm	30 litres	594132	594133

All steel litter bin- 50 litres	
Without lid - D 460 x W 270 x H 725 mm	594140
With lid - D 460 x W 270 x H 870 mm	594141



5 594134 (50L)



6 594137 (50L)



7 594133 (30L)



594133 (30L)



8 594141 (50L)


1

RIGA LITTER BIN
50 LITRES

A modern and sleek design thanks to its steel structure. This litter bin has on its upper part a location for extinguishing cigarettes.

- > Capacity: 50 litres.
- > Dimensions: D 420 x W 400 x H1150 mm
- > Litter bin in PEFC certified French oak, depth. 22 mm.
- > 8mm gauge steel structure.
- > Polyester upper crown in RAL 7044.
- > Internal bucket supplied.
- > Steel painted with zinc primer, finished in RAL 7044.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Mounted on base plate. Anchor bolts supplied.

50 litres	208077
-----------	--------





2 3

LOFOTEN LITTER BINS
60 LITRES

Design of a rare elegance with the litter bin resting on either a cast steel base or base plate and available in two decorative styles: slats of FSC exotic hard wood or steel.

- > Capacity: 60 litres.
- > Dimensions:
 - Cast base version - Ø 500 mm x H 930 mm.
 - Base plate version - Ø 500 mm x H 780 mm.
- > Litter bin decoration in FSC certified exotic hardwood, depth 22 mm, or 8 mm steel.
- > Internal bucket supplied.
- > Locking lid in sheet steel with a triangle key.
- > Steel painted with zinc primer, finished in our RAL colours.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Mounted on base plate. Anchor bolts supplied.

	Cast base version	Base plate version
2 Wood & steel litter bin	208076	208074
3 All steel litter bin	208075	208073




4 5

SEVILLE LITTER BINS 100 LITRES

A large capacity litter bin emptying from the front, ideal for large green spaces and parks. All wood in two shapes with lifting wooden lids.

- > Capacity: 100 litres.
- > Dimensions:
 - Octagonal version - Ø 470 mm x H 938 mm.
 - Rectangular version - 320 mm x 475 mm x H 930 mm.
- > Litter bin decoration in FSC certified exotic hardwood, depth 22 mm.
- > Galvanised steel structure.
- > Lid handle in aluminium.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > Anchor bolts supplied.

4 100 litres - octagonal	208068
5 100 litres - rectangular	208067



6

VENICE LITTER BIN 80 LITRES

Modernity in public spaces. An excellent alternative to cast iron litter bins to update an environment. The Venice bin is complemented by the Venice planters & tree grilles.

- > Capacity: 80 litres.
- > Dimensions: Ø 470 mm x H 750 mm.
- > Frame is steel with a decorative plasma cut steel body.
- > Internal bucket supplied.
- > Locking lid in sheet steel with a triangle key.
- > Steel painted with galvanising primer, finished in our RAL colours.
- > Anchor bolts supplied.

80 litres	208060
-----------	---------------



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

VALENCIA LITTER BINS 40 LITRES

Steel litter bin with a choice of side mounting post, either straight or curved.

- > Capacity: 40 litres.
- > Maximum dimensions: Ø 540mm x H 835mm.
- > Litter bin in steel, curved post in Ø 60mm, straight post in Ø 76mm tube.
- > Internal bucket fitted with two Ø 5mm handles with locking mechanism using triangle key.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

1 Valencia - curved post	208203
Valencia - straight post	208205



2

CERGY LITTER BIN 60 LITRES

Steel litter bin on a cylindrical base, imposing by its height.

- > Capacity: 60 litres.
- > Maximum dimensions: Ø 540 mm x H 944 mm.
- > Litter bin and base in steel.
- > Internal bucket fitted with two Ø 5 mm handles with locking mechanism using triangle key.
- > Steel painted with zinc primer, finished in our RAL colours.
- > Base fitted with an internal cross piece for easy ground fixing.
- > Anchor bolts supplied.

2 Cergy 60 litres	208201
-------------------	--------




3

SANTIAGO LITTER BINS 40 LITRES

Santiago benefits from a fixed aperture. To empty the litter bin, the body is held in position by 2 horizontal flat steel semicircles, of which one is raised to tip the litter bin to an angle of 45° for emptying.

- > Capacity: 40 litres.
- > Maximum dimensions: Ø 546 mm x H 950 mm.
- > Litter bin in steel mounted on Ø 76 mm tube posts.
- > A choice of four decorative top caps.
- > Optional internal bucket fitted with two Ø 5 mm handles with locking mechanism using triangle key.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

Top cap:	City	Agora	Sphere	Forum
Without liner bucket	208220	208221	208222	208224
With liner bucket	208225	208226	208227	208229




4

VERCORS LITTER BINS 40 LITRES

Follows the same designs as the Vercors seat and bench.

- > Capacity: 40 litres.
- > Maximum dimensions: Ø 500 mm x H 1000 mm.
- > Litter bin in steel mounted on Ø 60 mm tube.
- > Optional internal bucket fitted with two Ø 5 mm handles with locking mechanism using triangle key.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

Vercors without liner bucket	208210
Vercors with liner bucket	208211



1 to 4

MORVAN & AUNIS LITTER BINS 40 OR 90 LITRES

Made using non-shrinking polyethylene, with anti-UV treatment, for best outdoor performance.

- > Capacity: 40 or 90 litres.
- > Liner bucket in galvanised steel fitted with handles.
- > Bin equipped and secured with a triangle lock and key.
- > 40 litre model: wall mounted or post mounted (optional).
- > 90 litre model: attached to ground.
- > See adjacent table for available colours.



	Height bin	Ø Bin	Height liner	Code
1 Morvan 40 litres Ø 385 mm	720	310	500	208000
2 Morvan 90 litres Ø 445 mm	980	385	770	208001
3 Aunis 40 litres Ø 385 mm	720	310	500	208002
4 Aunis 90 litres Ø 445 mm	980	385	770	208003
Ø 60 mm post	1250			208019

**3****2****4**

5 / 6

CONVIVIALE® STANDARD LITTER BIN 50 LITRES

The first litter bin designed to fit in naturally into a row of railings with minimum obstruction on the pavement. Its lower tap rail enables visually impaired people to detect it.

- > Capacity: 50 litres.
- > Length: 490 mm, height above ground: 1100 mm.
- > Steel tube verticals 40 x 40 mm, elegantly curved.
- > Steel tube cross members 30 x 3 mm, ground clearance: 150 mm.
- > Lid in 3 mm lacquered sheet aluminium.
- > Body of the bin in 3 mm galvanised steel sheet.
- > Elastic belt to hold the plastic bag in place supplied.
- > Steel painted with zinc primer, finished in our RAL colours.
- > To be concreted directly into the ground.

6 Conviviale® Anti-terrorist litter bin

> Same features as the Conviviale® standard litter bin, without the body of the bin to allow a perfect view of the contents.

5 Standard litter bin	208050
6 Anti-terrorist litter bin	208155



7 / 8

CONVIVIALE® LITTER BINS 30 OR 80 LITRES

Two resolutely modern litter bins, blending plastic and steel. The two sizes available allow the size of litter bin to correspond to the attendance at the place of installation. The 30 litre version is available as post or wall mounting to offer even greater versatility.

7 30 Litres

- > Capacity: 30 litres.
- > Dimensions: H 1150 x 450 x 350 mm.
- > Steel tube structure 40 x 40 mm, elegantly curved.
- > Steel painted with zinc primer, finished in our RAL colours
- > Body of the bins made of thermoformed plastic with an anthracite finish.
- > Available with or without lid.
- > To be concreted directly into the ground or wall mounted.

8 80 Litres

- > Capacity: 80 litres.
- > Dimensions: H 1025 x 550 x 350 mm.
- > Steel tube structure 40 x 40 mm, elegantly curved.
- > Steel painted with zinc primer, finished in our RAL colours
- > Body of the bins made of thermoformed plastic with an anthracite finish.
- > Lid as standard.
- > Emptied from the front.
- > To be concreted directly into the ground.

	With lid	Without lid
7 30 litre litter bin - post mounted	208056	208055
30 litre litter bin - wall mounted	208057	208054
8 80 litre litter bin	208051	




8






FEATURES OF PROCITY® STANDARD STEEL LITTER BINS:

- > The lid is specially designed to be non-melting and self-extinguishing in case of fire, limits gas and odours escaping.
- > Small opening to prevent disposal of household waste.
- > Liner bucket made of 0.8 galvanised steel with lifting handle.



- > Locks: opening with a triangle key, top automatically snap-locks to the body.
- > Steel painted with zinc primer, finished in our RAL colours.
- > Optional base covers to mask fixing available.



1 to 2

POST MOUNTED PROCITY® STANDARD STEEL LITTER BIN - 40 LITRES

> Capacity: 40 Litres.

> 3 versions of post mounting:

1 Side mounted on a Ø 76 mm steel post attached by two cast aluminium collars. Choice of 4 top caps.

2 Mounted on a Ø 76 mm central steel post with a cast aluminium decorative base cover, to be concreted directly into the ground or to make removable if fixed into a Ø 76 mm Lockbloc® removable socket.

3 With ashtray as per technical characteristics of the ash-post.

> To be concreted directly into the ground.

	City	Agora	Sphere	Forum
Side post	208165	208166	208167	208168
Ash-post	208165	208166	208167	208168
Central post	208110			
Optional decorative base cover		206108		



Ash-post version
208165

3 / 4

WALL MOUNTED PROCITY® STANDARD STEEL LITTER BIN- 40 LITRES

A steel litter bin with a choice of fixings for wall mounting, Ø 76 mm posts or shelters.

- >Capacity: 40 Litres.
- >Mounted on a pre-drilled, lacquered steel bar for wall mounting.
- >With cast 2 collars to mount onto any Ø 76 mm post.
(bus shelters, steel bollards, Province railings, Trio railings, etc.)
- >Pre-drilled, lacquered steel bar 80 x 80 mm post
(square posts bus shelters, Voûte shelters etc).

Wall mounted	208150
For Ø 76 mm post	208142
For 80 x 80 mm post	208141



5 / 6

BASE MOUNTED PROCITY® STANDARD STEEL LITTER BIN - 60 LITRES

A large steel litter bin with a choice of base fixings:

- >Capacity: 60 Litres.
- >Mounted on a Ø 270 mm cast aluminium base to be concreted directly into the ground or fixed into a Lockbloc® removable socket.
- >Mounted on a galvanised steel cylindrical base, fitted with an internal cross piece for ground fixing.

5 Cast base	208100
6 Cylindrical base	208101
Removability kit	206559



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

PROCITY® RECYCLING POINT 40 LITRES x 3

Make a set of recycling bins by assembling 1 to 3 standard PROCITY® steel litter bins around one central post. Use different coloured lids for easy identification. For the features of the litter bins, see page 56.

Your public recycling point consists of:

- A** An initial PROCITY® standard steel litter bin with liner on a Ø 76 mm steel post, lid & body in steel painted with zinc primer, finished in our RAL colours.
- B** One or two additional PROCITY® standard steel litter bins with liners and connecting parts, body in steel painted on zinc in our RAL colours ; lid & body in steel painted with zinc primer, finished in our RAL colours.

Optional

> 3 self-adhesive recycling pictograms supplied.

A Initial litter bin	Top cap	Code
 <p>PROCITY® standard steel bin with liner on side post</p>	City	208135
B Additional litter bins	Code	
 <p>Additional bin(s) with liner and linking attachments, without post.</p>	208130	

2

WOODEN RECYCLING POINT - 50 LITRES x 3

A set of recycling litter bins, consisting of 3 internal compartments with compact HPL cladding panels in a mahogany finish.

- > Capacity: 3 x 50 litres.
- > Dimensions: L 1060 mm x W 370 mm x H 600 mm.
- > 3 x 50 litres internal bucket supplied.
- > Galvanised internal structure.
- > Compact HPL lid & cladding panels, lid painted in our RAL colours.
- > Fitted with an internal cross pieces for ground fixing.
- > Anchor bolts supplied.

Optional

> 3 self-adhesive recycling pictogram supplied.

Wooden recycling point

208078

3 self-adhesive recycling pictograms.
Dimensions of each sticker: H 185 x 160mm.

208134



WHEELIE BIN STORES

A totally modular system to adapt effectively to size requirements. Choose the number of posts required and select the quantities of cladding required.

Cladding


- > High quality UV resistant reconstituted composite wood.
- > Available in 2 lengths: 900 and 1830 mm.
- > Height: 1450 mm.

Posts


- > Reconstituted high quality wooden post, resistant to UV.
- > Height 1600 mm.
- > Aluminium top cap.
- > Galvanised base plate.

Post on base plate	208090
Cladding L 900 x H 1450 mm	208091
Cladding L 1830 x H 1450 mm	208092

Example of possible configuration: 4 posts + 3 cladding panels L1830 mm



Example of possible configuration: 6 posts + 3 cladding panels L 1830 mm + 2 cladding panels L 900 mm



Version shown: 4 posts + 1 cladding panel L 1830mm + 2 cladding panels L 900mm



Product is shipped flat packed for self assembly.

S U M M A R Y

6 ✧ COMFORT

30 ✧ GREEN SPACES

46 ✧ CLEANLINESS

60 ✧ BICYCLE STANDS & SHELTERS

62 BICYCLE STANDS

69 BICYCLE SHELTERS

74 ✧ ACCESS CONTROL

80 ✧ INFORMATION DISPLAY



❖ BICYCLE STANDS & SHELTERS




MODULAR DECORATIVE BICYCLE RACKS

A superb system, decorative, functional and modular.


1 to **6** Modular decorative bicycle racks

- > Choice of 5 top caps.
- > Single-sided or double-sided.
- > 6-space single-sided or double-sided extension modules.
- > Holds all bikes, including mountain bikes. Made of steel, posts \varnothing 76 mm, hoop \varnothing 22 mm. Space of 50mm between the hoops.
- > Galvanised and painted finish in our RAL colours, or galvanised finish with Mercure top cap.
- > Mounted on base plates with U-shaped ground hoops supplied.




1 3-SPACE SINGLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207365	207360	207361	207367	207002




2 3-SPACE DOUBLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207355	207350	207351	207356	207022




3 6-SPACE SINGLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207315	207310	207311	207316	207003




4 6-SPACE DOUBLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207325	207320	207321	207326	207023



5 EXTENSION MODULE 6-SPACE SINGLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207335	207330	207331	207336	207004




6 EXTENSION MODULE 6-SPACE DOUBLE-SIDED RACK

City	Agora	Sphere	Forum	Mercure
207345	207340	207341	207346	207064



Insist on the PROCITY® label



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY


1



2




3



4



3 5



4 6

1

CONVIVIALE® MODULAR BICYCLE RACKS


Thanks to the slanting parallel arrangement, the rack encroaches 30% less on the pedestrian space. In addition, the handlebars no longer knock against each other. You may also select the arrangement which is most suitable for your situation: single-sided, double-sided, the orientation of the racks & limitless extension modules.

- > Initial module consisting of three single-sided racks.
- > Possibility of adding 3 further stands with 3 space single-sided extension modules.
- > Modules can be made double-sided by the addition of hoops.
- > To accommodate motorcycles/mopeds, the hoops may be removed from the module.
- > 70 x 70 and 40 x 40 mm steel tubing.
- > Steel tubing hoops Ø 22 mm for all types of bicycles.
- > Courbe de Diamant® ("diamond curve") cast aluminium top cap.
- > Galvanised and painted finish in our RAL colours.
- > Installation on base plates, ground hoops supplied.

Initial module + 3 hoops supplied	207385
Extension module + 3 hoops supplied	207386
Additional hoop (per unit)	207387



1



2

CONVIVIALE® BICYCLE STANDS

More security on the street for bicycles (2 attachment points: frame and wheel).

- > 70 x 70 and 40 x 40 mm steel tubing.
- > Courbe de Diamant® («diamond curve») cast aluminium top cap.
- > Galvanised and painted finish in our RAL colours.
- > Installation on base plates or to be concreted into the ground.

Concrete fix	207380
On base plates	297380



2


3

LISBON BICYCLE STAND

A compact bicycle stand allowing simultaneous fixing of the frame and the wheel. A welcome addition to the PROCITY® Lisbon railing.

- > Steel tube 80 x 40 mm and 35 x 35 mm.
- > Height above ground: 870 mm.
- > Length: 750 mm.
- > Galvanised and painted finish in our RAL colours.
- > To be concreted directly into the ground or on base plates, U-shaped ground hoops supplied.


Concrete fix	207541
On base plates	297541



3



3



4

DUO BICYCLE STAND

A stylish stand for two bicycles, holding the wheel firmly in place. The bicycle frame can be easily locked to the stand.


- > Choice of 4 top caps: City, Agora, Sphere, and Forum.
- > Galvanised and painted finish in our RAL colours.
- > To be concreted directly into the ground.

	City	Agora	Sphere	Forum
Codes	207412	207413	207414	207416



4

GALVANISED



5

CLASSIC BICYCLE STANDS

A classic bicycle stand, its optional signage allows the stands to be easily located.

Standard version

- Galvanised and painted finish in our RAL colours.
Choice of 4 top caps: City, Agora, Sphere, and Forum.
- Galvanised finish.
Mercure black cast aluminium top cap with galvanised steel hoop.
- > Ø 76 and Ø 50 mm steel tubes.
- > Total height (excluding top cap): 1100 mm, length 1200 mm.
- > To be concreted directly into the ground.
- > Optional decorative base cover.

Version with signage

- > Same features as the standard version, with addition of a steel signage pole Ø 76 mm, painted with zinc primer, finished in our RAL colours.
- > Overall height 3000 mm.
- > Perfect to locate bicycle parking even when parked vehicles hide the stands from view.

	City	Agora	Sphere	Forum	Mercure
Classic bicycle stand	207523	207521	207522	207525	207520
Classic bicycle stand with signage	207533	207531	207532	207535	—
Optional decorative base cover					206108



5

GALVANISED

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

TROMBONE BICYCLE STANDS

A very simple, popular, economic & functional bicycle stand.

Standard version

- > Ø 60 mm steel tube.
- > Height above ground 1000 mm.
- > Width 625 mm.
- > Galvanised and painted finish in our RAL colours.
- > To be concreted directly into the ground.


Galvanised	201050
Painted	201051



Version with signage

- > Same features as the standard version with plasma cut 3 mm sheet steel signage.

Galvanised	201052
Painted	201053



2


DECORATIVE MOTORCYCLE STANDS

These stands offer the perfect parking facility for bicycles, scooters, and motorbikes.

Available in two versions:

- Galvanised and painted finish in our RAL colours.
Choice of 4 top caps: City, Agora, Sphere, and Forum.
 - Galvanised finish.
Mercure black cast aluminium top cap with galvanised steel hoop.
- > To be concreted directly into the ground.
> Optional decorative base covers.

	City	Agora	Sphere	Forum	Mercure
Codes	207512	207510	207511	207514	207500
Optional decorative base cover					206108



3

FIXED OR PIVOTING WALL MOUNTED BICYCLE RACK

To fix directly to the wall by screws and plugs (not included). Maximum tyre width 50 mm to accommodate bicycles and mountain bikes.

- > Galvanised finish.
- > Optional: galvanised steel post with black plastic cap. For fitting up to 4 fixed wall mounted racks.
- > To be concreted directly into the ground.

Pivoting wall mounted rack	204730
Fixed wall mounted rack	204702
Post for bicycle rack	204733



4

ECO 5-SPACE CYCLE STAND

Accommodates 5 bicycles. Usable on both sides and by all types of bicycles, including mountain bikes, and keeps strong hold of tyre.

- > Made of galvanised steel tubing.
- > Free standing or anchored to the ground, drilled with 13 diam holes on side irons.
- > Fixings not supplied.

Eco 5-space Stand	204701
-------------------	--------




5

6 SPACE HIGH-LOW BICYCLE RACK

Galvanised or galvanised and painted finish in our RAL colours. Allows for optimum use of space, access from both sides to ensure handlebars don't tangle. Excellent wheel grip.

- > May be used free-standing or anchored to the ground, pre-drilled with Ø 10 mm holes.
- > Bolts not supplied.

Galvanised 6 space high-low bicycle rack	204700
Painted 6 space high-low bicycle rack	204711



1

INFINITE MODULAR BICYCLE RACK

A very efficient solution at an affordable price. Can be extended to accommodate requirements.

- > Structure made in 30 x 30 mm, stand Ø 16 mm steel tubes.
- > Space of 50 mm between the hoops to hold all bikes, including mountain bikes.
- > Free-standing or anchored to the ground, pre-drilled with Ø 13 mm holes (bolts not supplied).
- > Single 3-space module length 900 mm.
- > Additional 2-space modules can be added as required, length 838 mm.
- > Finish: galvanised or galvanised & painted.

	Galva	Painted
5-space Infinite	204706	204756
A Single 3-space module	204715	204765
B 2-space extension module	204716	204766

A Single 3-space module



B 2-space extension module



GALVANISED

2




16 SPACE BICYCLE RACK

A bicycle rack that accommodates 16 cycles: 2 rows of 8 bicycles facing each other.

- > Galvanised steel, side panels painted green with bicycle motif in white.
- > Base plates with Ø 13 mm holes. Bolts not supplied.

16 Space bicycle rack

204760



3

ECONOMY ALUMINIUM 5 SPACE BICYCLE SHELTER

Structure

- > Anodised aluminium Ø 50 mm tubular uprights for assembly with cast aluminium connectors, locked in place with stainless steel screws.
- > Dimensions: Length 2576 x Height 2150 x Depth 1977 mm.

Roof

- > 10 mm translucent anti-UV cellular polycarbonate glazing panels.

Extension

- > Capacity of the shelter can be increased by adding extension units to the basic unit for a further 5 further bicycles.
- > Dimensions: Length 2550 x Height 2150 x Depth 1977 mm.

Installation

- > To be concreted directly into the ground.

Alu. 5-space shelter without cladding	529260
Alu. 5-space extension without cladding	529261
Alu. 5-space shelter + 2 side-cladding panels + 1 back-cladding panel (in 2 parts)	529265

OPTIONS: CLADDINGS AND BICYCLE RACK

Back and side-cladding

- > 10 mm translucent anti-UV cellular polycarbonate glazing panels.

5-Space bicycle rack

- > Made of galvanised steel. Designed to fit in the shelter, alternative high/low rack for optimum use of space.
- > May be used free-standing or anchored to the ground using pre-drilled Ø 10 mm holes.
- > Bolts not supplied.

1 pair side-cladding panels	529270
1 back-cladding panel	529271
5-Space bicycle rack	204719



4

CONVIVIALE® BICYCLE SHELTER

A modern & innovative cantilever design, making use of decorative plasma cut roof supports.

Structure

- > 100 x 60mm steel verticals.
- > To be concreted directly into the ground.

Roof

- > 50 x 30 mm cross members.
- > 10 mm translucent anti-UV cellular polycarbonate glazing panels.

Finish

- > Galvanised and painted finish in our RAL colours.

OPTIONS: CLADDING AND EXTENSIONS

- > 10 mm translucent anti-UV cellular polycarbonate side panels.
- > Side-cladding panels supplied in pairs.
- > Back-cladding.
- > Aluminium frame.

Extensions

- > 1300 mm extension modules to enable you to adapt the size of the bus shelter to the length required.

	Length x height x depth	Code
Conviviale® Shelter	2700 x 2100 x 2300	529610
Conviviale® Extension	1300 x 2100 x 2300	529611

Cladding options	
1 pair side-cladding panels	529616
Back cladding for the basic unit	529615
Back cladding for the extension units	529617



1

DECORATIVE ALUMINIUM SHELTER

A modular shelter in full aluminium, with a multitude of options including decorative top caps.

Structure

- > Aluminium tube uprights: Ø 76 mm.
- > Collars and decorative base covers in cast aluminium.
- > 6-space bicycle rack included with the shelter and/or the extension units. Galvanised steel, painted in our RAL colours.

Roof





- > Frame comprising two 40 x 60 aluminium beams, attached by two collars to the posts, two aluminium profile rainwater gutters.
- > Curved aluminium profile roof arcs.
- > Canopy made of 6 mm translucent anti-UV cellular polycarbonate glazing.

Finish

- > Painted in our RAL colours.

Installation

- > To be concreted directly into the ground.

			
City	Agora	Sphere	Forum
6 space deco shelter structure & rack			
529120	529121	529122	529124
6 space deco shelter structure & rack extension			
529140			

Cladding options	
1 pair side-cladding panels	529150
1 back-cladding panel	529151
Cladding attachment collars	207000

OPTIONS: CLADDING AND EXTENSIONS

Cladding comprises an aluminium profile frame with glazing made of translucent cellular UV stabilised 10 mm polycarbonate.


- > Side-cladding panels supplied in pairs, to be attached to posts by collars.
- > Back-cladding comprising 2 panels with a central upright, to be attached to the posts by collars.
- > Attachment collars to be added to cladding codes.

Examples single shelter configurations

- > Back-cladding only: codes 529151 + 6 x 207000.
- > Side-cladding only: codes 529150 + 8 x 207000.
- > Back & side-cladding: codes 529150 + 529151 + 10 x 207000.

Extensions

- > The shelter can be increased by adding extension units to the basic unit (extension cannot be retro-fitted).



MOONSHAPE SHELTER

One of the most popular PROCITY® bicycle shelters, often with extensions.

Structure

> A contemporary shape: supporting members and crossbeams made from tubular steel assembled using inserts.

Roof and cladding

> Aluminium profile cross member and rainwater gutter.
> Canopy made of 10 mm translucent anti-UV cellular polycarbonate glazing.
> White expanded 10 mm PVC side cladding.

Bicycle rack

> Included with this shelter is an integral 6-space bicycle rack whose colour matches that of the shelter. Made of Ø 22 mm steel tube attached to the crossbeam by stainless steel screws (supplied).

Finish and assembly

> Galvanised and painted finish in our RAL colours.
> Installation on base plates and expansion bolts supplied.




GALVANISED

	L x H x D (mm)	Code
Moonshape shelter	2800 x 2110 x 2365	529030
Moonshape shelter extension units	2800 x 2110 x 2365	529031



Version shown: Moonshape shelter
+ extension unit.



1 / 2

VOUTE MULTI-FUNCTIONAL SHELTER SYSTEM

A simple shelter to protect anything on two wheels, with its depth of more than two metres; protecting bicycles, scooters, mopeds and motorcycles. Feet adjustable to terrain requirements.

Structure

- > A sturdy unit. Framework comprising 80 x 80 mm steel uprights with adjustable feet mounted on base plates.
- > Galvanised and painted finish in our RAL colours.
- > Basic unit Length 2500 x Height 2635 x Width 2090 mm.

Roof

- > The roof framework features two aluminium tubular crossbeams and two aluminium rainwater gutters that are fixed to built-in U-shaped sections of uprights. Painted in our RAL colours.
- > Canopy made of 6 mm translucent anti-UV cellular polycarbonate glazing.

LED Lighting (for integrated LED lighting version)

- > Factory fitted LED lighting strips in the crossbeams.
- > Power supply of 220 V required, electrical installation to be carried out by a professional. Circuit breaker not included.

Options: Cladding, Extensions and Bicycle racks

Side and back-cladding

Cladding comprises an aluminium profile frame with glazing made of translucent cellular UV stabilised 10 mm polycarbonate.

- > Side-cladding panels supplied in pairs. L 959 x H 1740 x W 23 mm.
- > Back-cladding comprising 2 panels. L 1150 x H 1750 x W 23 mm.

Extensions

- > Extension unit available in size: L 2500 x H 2635 x W 2170 mm.

Bicycle and motorcycle stands

- > See pages 62 and onwards.


Voute Bicycle Shelter	
Basic shelter unit without cladding	529040
Extension unit without cladding	529041

Voute Bicycle Shelter Version integrated LED lighting	
Basic shelter unit without cladding	529040L
Extension unit without cladding	529041L

Options	
1 side-cladding	529042
1 back-cladding for basic unit	529043
1 back cladding for extension unit	529048



Optional LED lighting integrated into the crossbeams



Product is shipped flat packed for self assembly.

Version shown:

Voute shelter + 2 extension units + 2 side claddings + 3 back claddings + 9 Trombone bicycle stands.

Version shown:
1 Voute shelter
+ 2 side claddings
+ 1 back cladding
+ 3 Lisbon cycle stands



Version shown:
Voute shelter
+ 4 extension units
+ 1 side claddings
+ 5 modular decorative
bicycle stands



Version shown:
Voute shelter
+ 1 extension unit
+ 2 side claddings
+ 2 back claddings
+ 2 modular decorative bicycle stands

COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

S U M M A R Y

- 6 ❖ COMFORT
- 30 ❖ GREEN SPACES
- 46 ❖ CLEANLINESS
- 60 ❖ BICYCLE STANDS & SHELTERS

74 ❖ ACCESS CONTROL

- 76 ACCESS GATES
- 77 SELECTIVE GATES
- 78 RAILINGS

80 ❖ INFORMATION DISPLAY



ACCESS CONTROL





1/2

SWIVEL ACCESS GATES

Barriers for access control in small spaces, available in 2000 mm and an offset version for increased length to 2500 mm. The latter model is equipped with a vertical tube to install signage.

- > Made in steel tube \varnothing 60 mm frame, mounted on an internal steel pivot tube.
- > Standard right angle lock using 20 mm padlock and pin (supplied). May be blocked at 90° in the open position.
- > Locking options: a 11 mm triangle key or 14 mm prisoner key to ensure that it is returned to the closed position.
- > Finish: galvanised or galvanised then painted finish in our RAL colours.
- > Fixed on a 200 x 200 mm base plate, ground bolts to concrete in (supplied).

2000 mm galvanised swivel barrier	203120
1 2000 mm painted swivel barrier	203121
2500 mm galvanised off-set swivel barrier	203124
2 2500 mm painted off-set swivel barrier	203126





3

LIGHTWEIGHT SWIVEL GATE

- > Made of \varnothing 60mm steel tubing with black plastic end cap. Pivot provided in external tube.
- > Standard right angle lock using 16 mm padlock and pin (supplied).
- > May be blocked at 90° in the open position.
- > Galvanised finish or galvanised and painted in our RAL colours.
- > Mounted on a reinforced base plate, ground fixing rods supplied.

Galvanised	203125
Painted	203128



1

SAFETY GUARD RAILINGS

A simple and durable solution with many different uses.

- > Available in two lengths: 1027 mm with 7 bars or 2000 mm with 15 bars.
- > Ø 35mm and Ø 6mm steel tubes.
- > Total height: 1300 mm.
- > Galvanised or galvanised and painted finish in our RAL colours.
- > To be concreted directly into the ground.
- > Optional base plates or ground sockets.

	Galvanised	Painted
Length 1027 mm	204403	204453
Length 2000 mm	204401	204451



Length 2000 mm,
15 bars



Length 1027 mm,
7 bars



Insist on the
PROCITY®
label

2

REINFORCED HOOP BARRIER

Definitely the most popular and simplest of PROCITY® railings.

Available in three lengths (1000, 1500 and 2000 mm) in Ø 60 mm tube with crossbar.

- > Total height: 1300 mm.
- > Finish: galvanised or galvanised then painted finish in our RAL colours.
- > To be concreted directly into the ground.
- > Optional base plates or ground sockets.

	Galvanised	Painted
Ø 60 mm L 1000	204206	204256
Ø 60 mm L 1500	204207	204257
Ø 60 mm L 2000	204208	204258

2



1



2



3

PLAY AREA FENCING

A fencing system for enclosing children's play areas. Colours and height adapted to form part of the play experience.

- > Lengths: 1000 or 2500 mm.
- > Height above ground: 750 mm.
- > Slats in PEFC certified French oak, depth 22 mm.
- > Structure in FSC certified exotic hard wood, depth 60 x 60 mm.
- > Wood finish: Lacquered in a single colour or multi-colour.
- > Finish: painted with zinc primer, finished in RAL 3020 (red), RAL 1023 (yellow), RAL 6018 (green), RAL 5010 (blue).
- > 1000mm hinged gate with catch available.

	Multi-colour	Single colour
Length 1000 mm	207900	207902
Length 2500 mm	207901	207903
Gate 1000 mm	207904	207905

4 5

WOODEN BOLLARDS

Essential to protect green spaces from unauthorised parking or entry. Available with a flat or pyramid top.

- > Total height: 1000 mm.
- > Height above ground: 830 mm.
- > Bollard in FSC certified hard wood 93 x 93 mm.
- > Choice of 2 bollard top finishes.
- > Wood finish: water based colour stain preserver in light oak or mahogany.
- > To be concreted directly into the ground.

4 Flat top	207915
5 Pyramid top	207916



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

❖❖❖ INFORMATION DISPLAY

S U M M A R Y

- 6 ❖❖❖ COMFORT
- 30 ❖❖❖ GREEN SPACES
- 46 ❖❖❖ CLEANLINESS
- 60 ❖❖❖ BICYCLE STANDS & SHELTERS
- 74 ❖❖❖ ACCESS CONTROL

80 ❖❖❖ INFORMATION DISPLAY

- 81 OUTDOOR NOTICE BOARDS
- 82 INFORMATION DISPLAY



1

"TRADITION" OUTDOOR NOTICE BOARDS

Depth 30 mm

A range of slimline & high quality, waterproof, vandal resistant notice boards.

- > Single-sided. Aluminium frame 30 mm in thickness.
- > Integrated hinge door, replaceable and reversible without tools and without having to remove the poster display.
- > 4 mm thick plexichoc glazing.
- > Wear-resistant, warp-proof integrated hinge.
- > Tamper-proof lock with 2 keys on the door section.
- > Waterproof elastomer seal.
- > Galvanised backboard for use with magnets, painted white.
- > Finish: silver anodised or painted in RAL colours 3004 burgundy, 6005 green, 5010 blue, 9005 black or 8017 brown.

External dimensions	Anodised	Painted	A4
H 400 x 550	505000	405000	2
H 750 x 550	505001	405001	4
H 750 x 750	505002	405002	6
H 1050 x 750	505003	405003	9

Post sets for "Tradition" notice boards & dual-door notice boards

60 x 40 post set

Two aluminium posts 60 x 40 with black top caps. Universal fixing system on the back of the poster display case, using brushed stainless steel brackets.

60 x 40 PLUS post

Posts used for alignment of several poster cases with 2 brushed stainless steel brackets.

- > Finish: silver anodised or painted in RAL colours 3004 burgundy, 6005 green, 5010 blue, 9005 black or 8017 brown.
- > Height 2600 mm to be embedded into a concrete base or height 2200 mm (60 x 40 posts set only) if mounted on base plates (ground hoop bolts supplied).

	60 x 40 Post sets		60 x 40 PLUS post	
Finish	Anodised	Painted	Anodised	Painted
Root fixed	516356	416356	516460	416460
On base plates	516357	416357	—	—



2

"TRADITION" DUAL-DOOR OUTDOOR NOTICE BOARDS

Depth 30 mm

The most traditional of notice boards in an outdoor quality.

- > Single-sided. Aluminium frame 30 mm in thickness.
- > Integrated hinge door, replaceable and without tools and without having to remove the poster display.
- > 4 mm thick plexichoc glazing.
- > Wear-resistant, warp-proof integrated hinge.
- > 2 Tamper-proof lock with 2 keys on the door section.
- > Waterproof elastomer seal.
- > Galvanised backboard for use with magnets, painted white.
- > Finish: silver anodised or painted in RAL colours 3004 burgundy, 6005 green, 5010 blue, 9005 black or 8017 brown.

External dimensions	Anodised	Painted	A4
H 750 x 1200	505075	405075	8
H 1050 x 1400	505076	405076	12



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

1

WOOD FRAMED ALUMINIUM PARK NOTICE BOARD

A high quality outdoor notice board, ideal for parks and green spaces.

The Notice board

- > Frames in 30, 58, or 75 mm aluminium profile.
- > Lockable & waterproof.
- > Vandal resistant 4mm plexiglas glazing.
- > Single or double sided depending on size.
- > Galvanised steel backboard, painted white.
- > Anodised finish.

The frame

- > Height above ground 2000mm – 2300mm.
- > Posts in FSC exotic hard wood 60 x 60mm or 93 x 93mm.
- > Decorative roof in Compact HPL.
- > Finished with a water based stain preserver in Mahogany or light oak colour.
- > Fixed on galvanised base plates (fixing rods supplied - to be concreted in).

Ext. Dim. (mm)	Frame depth	Code
Single sided notice board H 660 x 905 x 30 mm on 60 x 60 mm wooden posts H 2500 mm	30 mm	407500
Single sided notice board H 1080 x 1330 x 58 mm on 60 x 60 mm wooden posts H 2500 mm	58 mm	407501
Single sided notice board H 1000 x 2010 x 75 mm on 93 x 93 mm wooden posts H 2500 mm	75 mm	407502
Double sided notice board on H 1000 x 2010 x 75 mm on 93 x 93 mm wooden posts H 2500 mm	75 mm	407503



2

WOODEN INFORMATION PANEL

A simple and elegant method of permanently displaying information.

- > Height above ground: 1900 mm.
- > Signage surface: 400 x 400 or 600 x 600 mm.
- > Blank signs in 13 mm compact HPL
- > Support post in FSC exotic hardwood 93 x 93 mm
- > Finished with a water based stain preserver in Mahogany or light oak colour.
- > Fixed on galvanised base plates (fixing rods supplied - to be concreted in).
- > Signage not included.

Display dims. 400 x 400 mm	527150
Display dims. 600 x 600 mm	527151

3

STEEL INFORMATION DISPLAY LECTERN

An elegant way of displaying tourist information using a folded 4 mm steel sheet, its height ensures adults, children & wheelchair users can easily view the sign.

- > Height above ground: 800 mm
- > Signage surface: 500 x 400 mm
- > Made of 4 mm sheet steel.
- > No sharp edges or angles.
- > Steel painted with zinc primer, finished in our RAL colours.
- > Fixed by the base.
- > Signage not included.

Display dims. 500 x 400 mm	527080
----------------------------	---------------

4

WOODEN INFORMATION DISPLAY LECTERN

Available in two sizes.

- > Height above ground: 1900 mm.
- > Signage surface: 300 x 300 or 400 x 600 mm.
- > Blank sign in 13 mm compact HPL.
- > Support post in FSC exotic hardwood 93 x 93 mm
- > Finished with a water based stain preserver in mahogany or light oak colour.
- > Fixed on galvanised base plates (fixing rods supplied - to be concreted in).
- > Signage not included.

Display dims. 300 x 300 mm	527141
Display dims. 400 x 600 mm	527142



COMFORT

GREEN SPACES

CLEANLINESS

BICYCLE STANDS
& SHELTERS

ACCESS CONTROL

INFORMATION
DISPLAY

16 Space bicycle rack.....	68	Lublin seat	18	Seville picnic table.....	29
6 Space high-low bicycle rack	67	Lugano bench Ø 76 mm	22	Silaos® assist chair	25
Aubel seat.....	14	Lugano seat Ø 76 mm.....	17	Silaos® benches.....	20
Aunis litter bins - 40 or 90 litres.....	54	Luton seat	18	Silaos® chairs	25
Barcelona litter bin - 60 litres	48	Mercure seat.....	16	Silaos® litter bins - 30 & 50 litres.....	49
Barcelona seat	13	Milan chair.....	24	Silaos® lounge.....	25
Base mounted PROCITY® standard steel litter bin - 60 litres	57	Milan seat.....	11	Silaos® picnic table set	26
Brest planters	36	Modular decorative bicycle racks.....	62	Silaos® planters	34
Cergy litter bin - 60 litres	52	Moonshape shelter	71	Silaos® seats.....	8
Children's picnic table	29	Mora nursery seat	19	Silaos® tree grille	43
Classic bicycle stands	65	Mora seat	18	Steel information display lectern	83
Cologne litter bins - 60 & 30 litres.....	48	Morvan litter bins - 40 or 90 litres.....	54	Swivel access gates	76
Cologne litter bins - junior 35 litres.....	48	Nursery Silaos® seat.....	19	"Tradition" dual-door outdoor notice boards.....	81
Côme picnic table set.....	27	Olbia planters.....	35	"Tradition" outdoor notice boards	81
Conviviale® anti-terrorist litter bin - 50 litres.....	55	Orsay planter	35	Ø 250 mm Tree guard	42
Conviviale® bench	23	Oslo benches.....	21	Ø 450 mm Tree guard	42
Conviviale® bicycle shelter.....	69	Oslo seat.....	14	Trombone bicycle stands.....	66
Conviviale® bicycle stands.....	64	Pagoda bench.....	21	Turnstile barrier	77
Conviviale® litter bins - 30 or 80 litres	55	Pagoda seat	12	Valencia litter bins - 40 litres	52
Conviviale® modular bicycle racks.....	64	Paris seat	16	Venice litter bin - 80 litres.....	51
Conviviale® seat	15	Perimeter barrier.....	45	Venice planters	34
Conviviale® standard litter bin - 50 litres.....	55	Planters for railings.....	41	Venice sculpture	41
Decorative aluminium shelter	70	Play area fencing.....	79	Venice tree grille	43
Decorative motorcycle stands.....	66	Porto planters.....	38	Vercors bench.....	23
Decorative protective barrier.....	44	Post mounted hanging baskets	40	Vercors litter bins - 40 litres.....	53
Duo bicycle stand	65	Post mounted PROCITY® standard steel litter bin - 40 litres	56	Vercors seat	15
Eco 5-space cycle stand	67	PROCITY® recycling point - 40 litres x 3	58	Versailles chair.....	24
Economy aluminium 5 space bicycle shelter.....	69	Province planters	32	Versailles seat	11
Estoril bench Ø 76 mm	22	Reinforced hoop barrier.....	78	Voute multi-functional shelter system.....	72
Estoril seat Ø 76 mm.....	17	Riga benches.....	20	Wall mounted hanging baskets	40
Fixed or pivoting wall mounted bicycle rack	67	Riga litter bin - 50 litres.....	50	Wall mounted PROCITY® standard steel litter bin - 40 litres	57
Heritage seat	12	Riga picnic table	28	Wheelie bin stores.....	59
Infinite modular bicycle rack.....	68	Riga seat	10	Wood framed aluminium park notice board	82
Interlocking protector	44	Safety guard railings.....	78	Wooden bollards	79
Junior Silaos® seat	19	Santiago litter bins - 40 litres.....	53	Wooden information display lectern.....	83
Lightweight swivel gate.....	76	Sarlat planters.....	33	Wooden information panel	83
Lisbon bicycle stand.....	64	Selective barrier	77	Wooden or steel parking stops	45
Lofoten litter bins - 60 litres	50	Semicircular baskets	41	Wooden recycling point - 50 litres x 3	58
Lofoten seat.....	13	Seville litter bins - 100 litres	51		



NOTES

A series of horizontal dashed lines for taking notes.



NOTES

A series of horizontal dashed lines for taking notes.

1.

2.

3.




Your guarantee of quality

Approved dealer

www.procity.eu

OTHER PROCITY CATALOGUES



N°2

INDUSTRIAL & COMMERCIAL WORKPLACE EQUIPMENT

Warehouse &
industrial safety
Site supplies & safety
Traffic calming

Car park equipment
Access control
Information display
Smoking solutions



N°3

STREET FURNITURE & ACCESS CONTROL

Railings
Decorative steel bollards
Cast iron bollards
Bus shelters
Information Display
Display advertising

Flags & flagpoles
Smoking solutions
Parking barriers
Hoop barriers
Height restrictors
Guardrails



Vallensbækvej 55 - 2605 Brøndby
Tlf. : 43 96 51 00 - Fax: 43 96 42 40
porsa@porsa.dk

Version 02 - August 2014



Programme for the
Endorsement of Forest
Certification